

# Contura

A warm  
welcome home





*Contura*

# There is nothing cosier than a real fire.

Anyone who lives where there is an autumn, winter and spring knows this. But the heat from a fire is not just a cosiness factor that triggers deep feelings of safety and community. It is also a sensible and modern solution that maximises both your and nature's resources.



**Create your own combination  
using our stove selector.**

Scan the QR code to discover more!

# A stove from Contura will spread warmth and cosiness in your home.

Therefore you should choose carefully. We make Contura for those who appreciate good design, intelligent functions and a wide choice. We make stoves for those who choose with the heart and the head.



It is quite simply, quality of life.



# Contents

## Welcome to our warm homes!

|                                      |    |
|--------------------------------------|----|
| Comfort with a clear conscience      | 8  |
| Contura values                       | 9  |
| Be inspired by some warm, cosy homes | 10 |

## Choose the right stove

|                                    |    |
|------------------------------------|----|
| Which Contura are you?             | 37 |
| Light with the environment in mind | 38 |
| Good characteristics               | 39 |

## Freestanding Stoves

|                               |     |
|-------------------------------|-----|
| Contura 100                   | 40  |
| Contura 200                   | 44  |
| Contura 300                   | 48  |
| Contura 500 Style             | 54  |
| Contura Connect 556           | 64  |
| Contura 600 Style             | 68  |
| Contura 800 Style             | 78  |
| Contura 900 Style <b>New!</b> | 92  |
| Contura MyCube <b>New!</b>    | 102 |

## Cassettes

|                   |     |
|-------------------|-----|
| Contura i1        | 110 |
| Contura i2        | 112 |
| Contura i4        | 114 |
| Contura i5        | 116 |
| Contura i6        | 118 |
| Contura i7        | 119 |
| Contura i8 / Cosi | 120 |

## Inserts

|             |     |
|-------------|-----|
| Contura i41 | 126 |
| Contura i51 | 130 |
| Contura i61 | 134 |

|                        |     |
|------------------------|-----|
| Accessories            | 138 |
| Product Information    | 143 |
| Dimension diagrams     | 158 |
| Good heat retention    | 180 |
| Efficient combustion   | 184 |
| Lighting the right way | 187 |

# Comfort with a clear conscience

Heating your home with firewood saves you money and helps the environment too. Modern, efficient combustion technology reduces emissions of particulate matter and all the carbon dioxide that is produced is reabsorbed by new trees as they grow. Contura stoves are among the most efficient in the world with emission levels below Swedish and international limits.

## Considering the environment in everything we do

Contura is constantly developing combustion technologies and designs to improve heat output. The efficiency of the combustion shows that a modern Contura converts most of the calorific value of the wood into heat. This means that very little smoke is emitted since the energy is used to generate heat in the room instead of hot smoke that is released outside.

## Good circulation for efficient combustion


With a closed combustion system, combustion air is led to the stove through ducts from the chimney, external wall or floor. This ensures optimal, stable combustion that does not affect the ventilation of the building.

## Less firewood

Did you know that a modern stove uses 50% less firewood, and reduces emissions by 90%? Turn to page 184 to find out more about efficient combustion.

## Energy labelling

The European Union's Energy Labelling Directive establishes a framework to reduce adverse environmental impacts of energy-related products and helps you choose the most energy-efficient products. Woodburners in the A energy efficiency category offer high efficiency and thus low running costs. This is what Contura means by comfort with a clear conscience, both today and in the future.





## Contura Values

### **Timeless design created for your lifestyle**

Homes come in many styles and sizes. It's good to know that you'll always find something in our range with design and features that last a lifetime. Contura has a stove that suits your style, whoever you are.

### **The purest fire of world-class heating the natural way**

You can light up your stove with a clear conscience, knowing that you are being kind to the environment and your wallet. Contura stoves are CO<sub>2</sub> neutral, using efficient combustion technology for excellent heating economy and minimal emissions.

### **The peace of mind that comes with Swedish quality**

Contura stoves are Made in Sweden, in the most state-of-the-art stove manufacturing facilities in the world, with a focus on reduced environmental impact, respect for human rights, good business ethics and high quality standards at every stage of production.

## Quality of life and comfort

Superior quality is a hallmark of Contura throughout its entire life, from production of a stove to its installation — and all the years it fills your home with light and heat. At Contura, we're proud of our tradition of innovative design and technology. The soul that we incorporate into all of our stoves stands for quality, assurance and home comfort.






## Timeless design and a warm look

"There are lots of things that create comfort in a home. First and foremost ourselves of course, then everything that we like and enjoy. But the cherry on top is the stove. It has to be big and hot!"

Read more about Contura 690G Style on page 75.



## Relaxing in every way

"There is nothing better than relaxing together. Preferably beside the stove. The side glass allow the fire to be seen even more and is, quite simply, more relaxing."

Read more about Contura 556G Style on page 59.





## Majestic!

"We just love our stove! We love the majestic statement it makes in the room, opening the senses and awakening the emotions."

Read more about Contura 886G Style on page 87.








## Proper logs for a proper fire

"We like having fires with big logs and we looked for a stove that met our needs, without taking up too much space."

Read more about Contura 330G on page 52.



## A modern take on tradition

"The Artstone surround gives a soft impression which we fell for. The combination of stone, glass and flames is beautiful. Age old materials in a completely modern format."

Read more about Contura 610AG Style on page 71.







## More space for warmth

The firebox in the Contura 800 Style has been given an innovative new design to further boost the heat output. For added safety and convenience, the door is self-closing, but with the option of keeping it open during cleaning for example.

Read more about Contura 856T Style on page 84.



## A painting we never get tired of

The cassette in our new chimney breast is like a brilliant and vivid painting. It is high up, so that the fire can be seen throughout the room. We never get tired of it, it is just as good after the fire has gone out and we sleep soundly in the lingering heat from the chimney breast.

Read more about Contura i4 Modern on page 114.







## Heart of the home

The fireplace becomes the natural centrepiece of the room and creates a sense of harmony that warms both body and soul.

Read more about Contura i8G on page 120.



## A tangible difference

Our stove insert really makes a difference to the heating, so we light a fire nearly every day. With the large glass, it was perfect for our functioning stove. A lot of people think that it has always been there.

Read more about Contura i5 on page 116.







## Build in with variation

The i7 allows you to customise your fireplace exactly as you want it. Place it inside a fireplace that you design yourself.

Read more about Contura i7G on page 119.



## Design to make time stand still

Timeless Scandinavian elegance to thrill and amaze. The Contura i61 is ideal for both contemporary and traditional interiors. The design is based on our popular i50 range, but has been updated to give it a sleeker, more compact format.

Read more about Contura i61A on page 136.





## Here we have settled

– for a more relaxed life, where time can be taken for each activity. Such as enjoying a wonderful, warming fire for example.

Read more about Contura i51 on page 130.



# Light with the environment in mind

Everything we do has an impact on the environment in some way. Today, we often have the opportunity to influence to what extent. One way to contribute to a reduced environmental impact when choosing a stove is to select a high-efficiency, modern clean-burning appliance with the latest combustion technology.

At Contura, we place stringent requirements on our manufacturing processes. This means our products can be recycled without the spread of toxic substances.

The requirements for efficient combustion are also high. It is during combustion that unhealthy particulates and hydrocarbons are formed. Contura stoves have a combustion efficiency that puts them below the permitted limits, provided that you light properly. Learn more about how to light effectively and with most efficiency at **[www.contura.eu](http://www.contura.eu)**. It is the best for you and the environment.

A wood burning stove is CO<sub>2</sub> neutral, because the carbon dioxide produced during the efficient combustion of bioenergy is taken up in the corresponding quantity as new trees are growing.

By lighting, you get a natural supporting heat in the house, which relieves the load on the house's main heating. It benefits both you and the environment.





# Which Contura are you?

Contura is available in a number of models and sizes. Common to all of them is a generous area of glass that shows a lot of the fire as well as Swedish design, quality and manufacturing.

How large an area can the stove heat? What does the area where the stove is to be located look like? There are different factors that determine the choice of the size of the firebox, the heating capacity as well as the size of the stove itself. The differences between the stove series are in the shape of the casing and the size of the firebox. Each series has different variants and different stove casings, so that you can choose the exact characteristics you want from your stove. In addition, there are accessories for different purposes, for example, heat retention and wood storage.

When you are clear about what suits your needs, the most important thing remains: To choose a stove that is easy on the eye and that will be a dear friend to the home for many years to come. We are sure that you will find a favourite.

## How much of the fire do you want to see?

Many, many Contura owners appreciate their stoves for one special property: It shows a lot of the fire. Large front glass and generous side glass means that you can see the fire from (nearly) every angle. Look out for our symbol for flame visibility! It indicates how much of the fire the model shows.



Only front glass




Front glass with  
narrow side glass



Front glass with  
large side glass



With a turntable the  
fire can be seen 360°



# How to choose your stove

When you have made the decision to purchase a stove it is important to think carefully about which model it should be.

## Size first

Size is the most important choice – Contura has sizes ranging from the small stove for a cottage to majestic installations for large reception rooms, and everything in-between.

Measure the space where the stove is to stand and check the distances to flammable materials. Calculate the size of the area that the stove is to heat. Now you know what size you should be looking for. The dimensions and heating capacities are given alongside each model.

## Choose design

Stoves from Contura are appreciated because they show so much of the fire. This makes the stoves easy to position, even in small spaces. Thanks to the large glass areas, in most models the flames can be seen from at least three sides.

The stoves are available in most shapes, round, angular, oval, tall, low, narrow or wide. Have a good look! We are sure that you will find the one you want.

## Different materials

The material makes up a large part of the stove's properties. The stoves heat up quickly and spread their heat only a few minutes after the fire has caught. When the fire has burned down it cools quite quickly.

The soapstone stoves have, as well as their natural good looks, the ability to retain heat over a long period. Heating up takes a little longer, but when the stone has been heated after a period of being lit the heat accumulates. When the fire burns low the stone is still very hot and it takes several hours to cool. The tiled stove gives the home a light, classical and homely style. Cast iron stoves are strongly robust. In our interpretation they also have a rugged modern style.

## Personal style

With our accessories you can give the stove your own personal style and adapt it to your interests and needs.

You can, for example, choose the colour, a different top plate, door, log box, hotplate, fan, heat tank, damper, a connection to outdoor air, floor protector and much more. All accessories are made by Contura for Contura and fit the stoves perfectly.

Read more about accessories on page 140.

# 11 properties your fireplace needs

## 1. High flame visibility

Several of Contura's models have generous glass areas that display a lot of the fire. Our symbol for flame visibility indicates how much flame a particular model displays.

## 2. Cast iron door

In order to resist the stresses that arise with the large temperature variations, the door must be made from shape-retaining cast iron.

## 3. High level of efficiency

The efficiency is the relationship between the energy the stove gives off and the energy that is supplied in the form of logs. Contura fireplaces have an efficiency of up to 86 %.

## 4. Swedish made and guaranteed

Contura fireplaces are high quality Swedish products developed and manufactured by NIBE Stoves. With a five year stove body factory warranty and good service you can rest secure for the service life of the stove.

## 5. Clean Burning System

The combustion air is heated to extremely high temperatures and flushed out onto the inside of the glass, which prevents soot build-up. This ensures that the fire is always visible in the room.

## 6. Powerful convection

The cool room air is drawn into the stove from underneath, is heated and rises. Just a few minutes later the hot air flows out into the room.

## 7. Simple to use

Contura products are equipped with a single control for exact output regulation, which allows simple and precise combustion control. The door, grates and ash-pan are also easily accessible.

## 8. Ecodesign

Manufactured to the latest standards, all Contura stoves comply with Ecodesign 2022 regulations.

## 9. Flexible

Contura is available in a number of variants and models. You can install a completely new stove, integrate with the existing chimney breast or stove and most importantly find your own style.

## 10. Heat retention

For maximum efficiency in heating, it is possible to choose different heat retention properties for several of the Contura models.

## 11. Many options

Supplement with one or more options such as a powerstone heat tank, soapstone top or finned grille.



Contura 110

## Easy to place, easy to love

The compact, free-standing Contura 110 can fit almost anywhere, in any home. But there is nothing small about the warmth and the impression it creates in a room. The Contura 110 is an efficient heat source for every kind of home, from houses to cottages. The compact format gives you almost limitless possibilities to create the fireplace that suits your home best.

## New life to older fireplaces

Mantelpieces and fireplaces should be living parts of your home. But many homes have fireplaces that are no longer in use. Give it new life with Contura 110. Its compact, free-standing cast iron format fits easily in most mantelpieces, most often with little modification or construction work required. You will soon notice what was the intended purpose of your old fireplace – to spread warmth and joy to your home.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 565 mm                                                                              |
| Width                 | 390 mm                                                                              |
| Depth                 | 355 mm                                                                              |
| Weight                | 65 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 30 cm                                                                               |
| Energy classification |  |

### Accessories

Sheet metal floor protection, outside air connection.



Contura 130

## Modern and practical

With a more modern aesthetic, Contura 130 shares the firebox of the Contura 110 and is designed for versatility. The matching log box enhances the practicality of this small but mighty stove. Contura 130 is an efficient heat source for every kind of home, from houses to cottages or even your conservatory. The compact format gives you almost limitless possibilities to create the fireplace that suits your home best.

### Log storage by design

The log box has been designed specifically for Contura 130. If you want to lift the fire up from floor level, this is the perfect solution. Naturally, the log box can be used open to store logs, but it can also be used with a door to give it a more minimalistic look allowing you to neatly conceal its contents.

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 545 mm                                                                              |
| Height with log box   | 850 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 75 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 30 cm                                                                               |
| Energy classification |  |

#### Accessories

Sheet metal floor protection, outside air connection.



**Contura 130**  
*without log box*



Contura 130

Contura 210



reddot winner 2023

## Breathe new life into your fireplace

Why let a beautiful fireplace or mantelpiece fall into disuse? Many homes have older fireplaces that are no longer used. Give them new life with the Contura 210. With a compact, free-standing format, it fits easily in most existing fireplaces. It allows you to continue using the fireplace for what it was intended for – to spread warmth and joy to your home. Contura 210 is available with a glass or cast iron door.

### Specifications



|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 82 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 615 mm                                                                              |
| Width                 | 500 mm                                                                              |
| Depth                 | 355 mm                                                                              |
| Weight                | 85 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

### Accessories

Sheet metal floor protection,  
hotplate, outside air connection.





Contura 210, with log box 

## For every home

Compact, robust, reliable. A timeless design that blends into and elevates the design of every home, from traditional to modern. Give new life to an existing, older fireplace, or create a completely new fireplace based on your wishes.

### Specifications

|                       |                                                                                     |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |  |
| Nominal output        | 5 kW                                                                                |                                                                                     |
| Efficiency            | 82 %                                                                                |                                                                                     |
| Heats                 | up to 120 m <sup>2</sup>                                                            |                                                                                     |
| Height                | 845 mm                                                                              |                                                                                     |
| Width                 | 500 mm                                                                              |                                                                                     |
| Depth                 | 355 mm                                                                              |                                                                                     |
| Weight                | 110 kg                                                                              |                                                                                     |
| Colour                | Black                                                                               |                                                                                     |
| Max. log length       | 33 cm                                                                               |                                                                                     |
| Energy classification |  |                                                                                     |

### Accessories

Sheet metal floor protection, hotplate, outside air connection.

Contura 210G, with soft-close door 

## Thinking inside the box

With a combustion efficiency of over 80%, and a 5 kW effect, you can be sure that Contura 210 maximises the amount of heat energy you get from your firewood, while minimising particulate emissions.

### Specifications

|                       |                                                                                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                                |  |
| Nominal output        | 5 kW                                                                                  |                                                                                       |
| Efficiency            | 82 %                                                                                  |                                                                                       |
| Heats                 | up to 120 m <sup>2</sup>                                                              |                                                                                       |
| Height                | 845 mm                                                                                |                                                                                       |
| Width                 | 500 mm                                                                                |                                                                                       |
| Depth                 | 355 mm                                                                                |                                                                                       |
| Weight                | 110 kg                                                                                |                                                                                       |
| Colour                | Black                                                                                 |                                                                                       |
| Max. log length       | 33 cm                                                                                 |                                                                                       |
| Energy classification |  |                                                                                       |

### Accessories

Sheet metal floor protection, hotplate, outside air connection.



Contura 210



with Modern legs

Contura 210, with classic legs 🍷

## Standing on its own feet

Contura 210 is also available with legs in two different versions. The Classic legs, which are angled, give the stove a more traditional look. If you're looking for something on trend, the straighter, Modern legs will be perfect for your home.

Contura 300 Series



## If you enjoy piecing things together...

The Contura 300 is the perfect choice if you know how you want your stove to look. Do you want it to be black or white? With a soapstone or artstone surround? A cast iron or glass door? What about log storage? There's a choice of three matching log boxes, a drawer and other smart accessories too. The stoves in the Contura 300 range take logs up to 50 cm in length.

## Space for long logs

The stoves in the 300 range take logs up to half a metre in length. The black freestanding log boxes can be stood on their end or their side. The Contura 310 comes in black or white metal with a glass or cast iron door.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 850 mm                                                                              |
| Width                 | 750 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 130 kg                                                                              |
| Colour                | Black,                                                                              |
| Max. log length       | 50 cm                                                                               |
| Energy classification |  |

### Accessories

Black glass hearth plate, hotplate, log box, drawer and outside air connection.





Contura 320T 

## Naturally heat retaining

Soapstone is a pure, natural material with individual veining and excellent heat retaining characteristics. A soapstone surround makes your stove unique. The generous glass pane in the cast iron door gives a superb view of the fire and the handle remains comfortably cool. You might want to add a practical storage drawer.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 850 mm                                                                              |
| Width                 | 750 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 190 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 50 cm                                                                               |
| Energy classification |  |

**Accessories:** Black glass hearth plate, hotplate, log box, drawer, outside air connection.



Contura 320TG 

## Natural and modern

The Contura 320TG combines heat retaining, natural-veined soapstone with the polished lustre of its contemporary glass door. The log box has ample space for large pieces of firewood.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 7 kW                                                                                  |
| Efficiency            | 77 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 850 mm                                                                                |
| Width                 | 750 mm                                                                                |
| Depth                 | 375 mm                                                                                |
| Weight                | 190 kg                                                                                |
| Colour                | Black                                                                                 |
| Max. log length       | 50 cm                                                                                 |
| Energy classification |  |

**Accessories:** Black glass hearth plate, hotplate, log box, drawer, outside air connection.

Contura 320A 

## Rustic style with cast iron door

The Contura 320A with its artstone surround and cast iron door combines contemporary style with a touch of rustic charm. The artstone surround has an even, grey hue and is naturally heat retaining. An open log box comes as standard and a storage drawer is available as an optional extra.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                            |
| Nominal output        | 7 kW                                                                              |
| Efficiency            | 77 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 850 mm                                                                            |
| Width                 | 750 mm                                                                            |
| Depth                 | 375 mm                                                                            |
| Weight                | 175 kg                                                                            |
| Colour                | Black                                                                             |
| Max. log length       | 50 cm                                                                             |
| Energy classification |  |

**Accessories:** Black glass hearth plate, hotplate, log box, drawer, outside air connection.



Contura 320AG 

## Velvety smooth

Artstone is smooth, polished concrete that's unique to Contura. Its light-grey hue conveys a tastefully contemporary vibe. The stone retains heat and you've a choice of glass or cast iron door.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 850 mm                                                                              |
| Width                 | 750 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 175 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 50 cm                                                                               |
| Energy classification |  |

**Accessories:** Black glass hearth plate, hotplate, log box, drawer, outside air connection.





Contura 330G 

## Mix and match with a log box

The Contura 330G firebox is at floor level. This stove can be assembled with and placed on three sizes of log box. Mix and match to create a stove to suit your home and wishes.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 7 kW                                                                                  |
| Efficiency            | 77 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 570 mm                                                                                |
| Width                 | 750 mm                                                                                |
| Depth                 | 375 mm                                                                                |
| Weight                | 115 kg                                                                                |
| Colour                | Black                                                                                 |
| Max. log length       | 50 cm                                                                                 |
| Energy classification |  |

**Accessories:** Black glass hearth plate, hotplate, outside air connection.



Contura 300

## Log storage the way you want it

The log box enhances the aesthetic appeal and practicality of Contura 300 series stoves to suit your wishes and your home.

The log box comes in three sizes and can be placed underneath (Contura 330G) or at the side of the stove. If you prefer concealed rather than open log storage, you can order a drawer for the box.



Contura 500 Style Series

## Stylish stove draws all eyes to the fire

Viewed through generous glass doors and sidelights, the fire is quite the eye-catcher in the room. The Contura 500 Style stoves are not only attractive, they're excellent at heating too, providing efficient combustion and multiple features that make it safer and simpler to keep a fire burning. They come in a choice of materials and designs, along with heat storage, a fan, hotplate, log store, floor protector and other accessories.

Contura 500 Style has an elegant, aesthetically-pleasing design. It is also brimming with smart features, many borrowed from the larger Contura 600 Style range. Automatic start, a booster and a quiet-slide ash pan are new features that you'll love. The Contura 500 Style has also been upgraded with a new cast-iron and glass door, a new combustion damper design and an improved mechanism for door stop in open position.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1066 mm                                                                             |
| Width                 | 495 mm                                                                              |
| Depth                 | 440 mm                                                                              |
| Weight                | 104 kg                                                                              |
| Colour                | Black, White                                                                        |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

### Accessories

Painted aluminum or glass top, fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outside air connection.



Contura 500 Style



Contura 510 Style 

## Beloved base model with a new lease of life

Contura 510 is one of the world's best loved stoves. Style has given the compact, easy to position model a new lease of life with a slim door, larger glass and more efficient combustion.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1066 mm                                                                             |
| Width                 | 495 mm                                                                              |
| Depth                 | 440 mm                                                                              |
| Weight                | 100 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Painted aluminum, glass (only for black) or soapstone top, soft close door, fan, turntable, hotplate, floor protector in glass or sheet metal, outside air connection.



Contura 510G Style 

## New, graphic styling with Style

Popular basic model with new, tough glass door and white exterior. Small, easy to position and very efficient.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 80 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1066 mm                                                                               |
| Width                 | 495 mm                                                                                |
| Depth                 | 440 mm                                                                                |
| Weight                | 105 kg                                                                                |
| Colour                | White                                                                                 |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Painted aluminum or glass top, soft close door, fan, turntable, hotplate, glass or metal floor protector, outside air connection.

Contura 510G Style 

## The new glass door gives a warm glow

The glass door gives the Contura 510 a modern facelift. The fire does not just heat, it lights up the room through the generous door.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 80 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1066 mm                                                                           |
| Width                 | 495 mm                                                                            |
| Depth                 | 440 mm                                                                            |
| Weight                | 105 kg                                                                            |
| Colour                | Black                                                                             |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |

**Accessories:** Painted aluminum, glass or soapstone top, fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outside air connection.

Contura 520 Style 

## With powerstone for maximum heating

Contura 520 Style is the product for those that want the most output from the smallest area. The 100 kg heat retaining powerstone top and convection damper give excellent heat retention and heat distribution.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1100 mm                                                                             |
| Width                 | 570 mm                                                                              |
| Depth                 | 477 mm                                                                              |
| Weight                | 205 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |



**Accessories:** Soft close door, turntable, hotplate, floor protector in glass or sheet metal, outdoor air connection.



Contura 500 Style





Contura 520T Style 

## Clad in soapstone for all those cold days

The soapstone surround gives Contura 520T Style natural heat retaining properties. At the same time, its compact size means that it is easy to position in the home. The soapstone surround has natural variations and patterns, each stove is unique.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1100 mm                                                                             |
| Width                 | 566 mm                                                                              |
| Depth                 | 475 mm                                                                              |
| Weight                | 221 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outdoor air connection.



Contura 556 Style 

## Delightful light, excellent features

Contura 556 Style is many people's favourite. It is easy to understand why – you get a lot in a compact format. Large, attractive glass that displays a lot of the fire, a lot of features and attractive design. Choose a cast iron or glass door.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 80 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1066 mm                                                                               |
| Width                 | 495 mm                                                                                |
| Depth                 | 440 mm                                                                                |
| Weight                | 100 kg                                                                                |
| Colour                | Black, Grey                                                                           |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Painted aluminum, glass (only for black) or soapstone top, fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outside air connection.



Contura 500 Style

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1066 mm                                                                             |
| Width                 | 495 mm                                                                              |
| Depth                 | 440 mm                                                                              |
| Weight                | 104 kg                                                                              |
| Colour                | Black, White                                                                        |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Painted aluminum, glass or soapstone top, fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outside air connection.

Contura 556G Style 

## Create your stove as you want it

Contura 556 Style can be varied almost infinitely. Choose a soapstone, glass or cast iron top. Choose a turntable or a hotplate and a fan for an extra boost to the heat flow.



Contura 556T Style 

## See a lot of the fire, enjoy the heat for a long time

Contura 556T Style has received new, even bigger side glass. With the soapstone surround you get the best of both worlds: the light of the fire is spread through the large glass and the naturally heat retaining soapstone gives you the best heating.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 80 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1083 mm                                                                               |
| Width                 | 542 mm                                                                                |
| Depth                 | 440 mm                                                                                |
| Weight                | 175 kg                                                                                |
| Colour                | Black, Grey                                                                           |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Fan, soft close door, turntable, hotplate, floor protector in glass or sheet metal, outdoor air connection.

Contura 596 Style 

## Enjoy the extra large expanse of glass

Contura 596 in black painted sheet metal has new larger side glass that display a lot of the fire. Choose from a painted aluminum, glass (only for black) or soapstone top. The soapstone top is a practical surface for keeping teapots warm.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 80 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1529 mm                                                                           |
| Width                 | 495 mm                                                                            |
| Depth                 | 440 mm                                                                            |
| Weight                | 136 kg                                                                            |
| Colour                | Black                                                                             |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |



**Accessories:** Painted aluminum or soapstone top, fan, extra heat tank with convection damper\*, turntable, floor protector in glass or sheet metal, outdoor air connection.  
\*Cannot be combined with a fan.



Contura 500 Style

Contura 596G Style 

## Beloved classics now in white

The Contura 596 Style has long been one of our most popular stoves. It now has an exciting glass door, even larger glass side panels and white enamel. The top is made of white enamelled cast iron. Add powerstone for extra heat output.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1529 mm                                                                             |
| Width                 | 495 mm                                                                              |
| Depth                 | 440 mm                                                                              |
| Weight                | 136 kg                                                                              |
| Colour                | White                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |



**Accessories:** Extra heat tank with a convection damper, turntable, glass or metal floor protector and outside air connection.





Contura 590T Style 

## The best heating and fire possible

The models in the Contura 590 Style series give lots of opportunities for personal choices. The basic stove is black painted sheet metal or with a soapstone surround. Then choose a turntable or heat tank, for example, for more functions.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1544 mm                                                                             |
| Width                 | 542 mm                                                                              |
| Depth                 | 463 mm                                                                              |
| Weight                | 240 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |



**Accessories:** Extra heat tank with convection damper, turntable, floor protector in glass or sheet metal, outdoor air connection.



Contura 596T Style 

## A stove with extra everything, please!

Contura 596T Style is a stove for those who want it all – a lot of heat, lots of features, to see lots of the fire and to enjoy it for a long time. With an extra heat tank, soapstone surround, new larger side glass and a convection damper it has everything.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 80 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1544 mm                                                                               |
| Width                 | 542 mm                                                                                |
| Depth                 | 463 mm                                                                                |
| Weight                | 220 kg                                                                                |
| Colour                | Black, Grey                                                                           |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |



**Accessories:** Extra heat tank with convection damper, turntable, floor protector in glass or sheet metal, outdoor air connection.

## Create your stove as you want it

Contura 596 Style can be varied almost infinitely. Choose a soapstone, glass or painted aluminum top. Choose a turntable or a hotplate and a fan for an extra boost to the heat flow.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 80 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1529 mm                                                                           |
| Width                 | 495 mm                                                                            |
| Depth                 | 440 mm                                                                            |
| Weight                | 136 kg                                                                            |
| Colour                | Black                                                                             |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |



**Accessories:** Painted aluminum, glass or soapstone top, extra heat tank with a convection damper\*, turntable, glass or metal floor protector and outside air connection. \*Cannot be combined with a fan.



## Popular design, even smarter on the inside

### ASF Automatic Start Function

ASF is an innovative feature that automatically controls the air through the grate during kindling. It means the door can be shut while getting the fire started and the stove therefore becomes completely independent of room air. It feels safer not having to leave the stove door open while the fire gets going. It is also perfect for modern houses with negative pressure. The function is unique to Contura and is patent pending.

### SSA Silent Sliding Ash Tray

Beauty in the smallest detail we say – and mean it. The re-engineered design and damping function of the Contura 500 Style's ash pan ensure it slides quietly and softly during emptying.

### RBF Refueling Boost Function

The boost function lets you "save" embers that have nearly died. You just open the handle on the left, new oxygen flows in from below, blowing life into the embers to set the new wood alight. Before long you're once again enjoying the warmth of a beautiful fire.



Contura Connect

# Smart. Simple.Connected.

We're entering a new digital era with Contura Connect as part of the smart and sustainable home. Contura Connect is as groundbreakingly innovative as it is simple to use. The stove automatically regulates the supply of air to ensure optimised, cleaner and more efficient combustion with minimal emissions. It works with an app that lets you control and monitor the fire from your mobile device. The stove automatically increases the air supply when lighting the fire and adding more logs – making it easier for the fire to take hold and giving you more time to relax together.

Contura Connect is part of the 500 Style range – Europe's most popular and appreciated range of wood burning stoves. Featuring an elegant, timeless aesthetic and compact size, it enhances and blends in with the design of the home.

## Specifications

|                       |                          |
|-----------------------|--------------------------|
| Output                | low/high                 |
| Nominal output        | 3–7 kW                   |
| Efficiency            | 5 kW                     |
| Heats                 | 83 %                     |
| Height                | up to 120 m <sup>2</sup> |
| Width                 | 1071/1529 mm             |
| Depth                 | 495 mm                   |
| Weight                | 495 mm                   |
| Colour                | 106/122 kg               |
| Max. log length       | Black                    |
| Energy classification | 33 cm                    |



**Connect 510**   
black, cast iron door



**Connect 556G**   
white, glass door



**Connect 596G**   
black, glass door

**Accessories:** floor protector in glass or sheet metal, outside air connection.



# Intelligent features

- **Easy ignition and burning**

The stove increases the airflow to boost the fire, both during ignition and when adding more wood. Getting a fire going and keeping it burning well has never been easier.

- **Automatic heat control**

Contura Connect features a lambda sensor that measures the amount of oxygen during combustion, and a thermometer that measures the stove and room temperatures, enabling it to control airflow and regulate the heat inside the stove. It can be regulated both manually and automatically.

- **Cleaner combustion, more attractive fire**

Contura Connect adjusts airflow which results in cleaner, more sustainable combustion, reduced emission levels and a more attractive fire with softer flames.

- **Notifications and reminders**

Contura Connect can send notifications to your phone when it is time to add more wood. It can let you know how much firewood is needed and when it is time to empty the ash pan.

- **Overheat protection**

An automatic overheat feature lowers the temperature inside the stove and sends a notification about what adjustments you can make to prevent it from overheating. The app contains information on how you can keep your stove burning well without it getting too hot.

- **Monitor and optimise how you use your stove**

The app displays statistics and data on how you use your stove over a period of time and how much it heats your home. Using this valuable information, you can optimise and control the heat in your home, ensuring that nothing goes to waste.





## Control your comfort

Let your smart stove become the heart of your home! The Contura Connect app allows you to control your stove settings, from wherever you are. Letting you easily set the heat at the temperature you want your stove to maintain. From cool summer evenings to crisp winter days, you can create the perfect, comfortable temperature in your home all year.

The straightforward, user-friendly app combines smart features with the option to monitor how much heat energy is being emitted by the stove, helping you optimise the performance of your sustainable, energy-efficient home.

Contura 600 Style Series

## Beauty from within, but seen on the outside

A fire is an eye catching centrepiece to a room. If there is the space and area, one should invest in a stove that stands out on its own, for the heat it provides but also for the design.

The stoves in the Contura 600 Style series have become better in every way: they heat better and have new and improved functions, such as autostart for fast lighting, silent ashbox and a boost function to awaken dying embers. But most of all they have been redesigned, with new surrounds, doors and colours.

As we all know, beauty comes from within, but it is also seen from the outside.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency            | 86 %                                                                                |
| Heats                 | up to 150 m <sup>2</sup>                                                            |
| Height                | 1260 mm                                                                             |
| Width                 | 540 mm                                                                              |
| Depth                 | 495 mm                                                                              |
| Weight                | 120 kg                                                                              |
| Colour                | Black, White                                                                        |
| Max. log length       | 36 cm                                                                               |
| Energy classification |  |

### Accessories

Top in painted aluminium, soapstone (black only) or glass, shelf or cover, log compartment or door, freestanding shaped log storage and heat retaining powerstone.





Contura 610G Style 

## A new personal favourite

Contura 610 Style is the smallest model in the grown up 600 Style series. For example, you can choose a cast iron or glass door, surround in artstone or metal (black, grey or white), log compartment or door, front cover or warming shelf above the door and accessories such as a heat retaining powerstone, hotplate and fan. One attractive and practical new feature is log storage at the side of the stove.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency            | 86 %                                                                                  |
| Heats                 | up to 150 m <sup>2</sup>                                                              |
| Height                | 1260 mm                                                                               |
| Width                 | 540 mm                                                                                |
| Depth                 | 495 mm                                                                                |
| Weight                | 120 kg                                                                                |
| Colour                | Black, White                                                                          |
| Max. log length       | 36 cm                                                                                 |
| Energy classification |  |

**Accessories:** top in painted aluminium, soapstone (black only) or glass, shelf or cover, log compartment or door, freestanding shaped log storage and heat retaining powerstone.

Contura 610 Style 

## Cast iron door

Contura 610 Style with a cast iron door gives a rustic feeling. Combine with a log store, hotplate or powerstone for example, for a stove that suits your needs.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                            |
| Nominal output        | 6 kW                                                                              |
| Efficiency            | 86 %                                                                              |
| Heats                 | up to 150 m <sup>2</sup>                                                          |
| Height                | 1260 mm                                                                           |
| Width                 | 540 mm                                                                            |
| Depth                 | 495 mm                                                                            |
| Weight                | 120 kg                                                                            |
| Colour                | Black, Grey                                                                       |
| Max. log length       | 36 cm                                                                             |
| Energy classification |  |



**Accessories:** top in painted aluminium, soapstone or glass (black only), shelf or cover, log compartment or door, freestanding shaped log storage and heat retaining powerstone.



Contura 610AG Style 

## With a velvet-smooth surface

Artstone is a unique surround for Contura stoves. The velvet finish concrete stone is a natural grey and with a glass door the stove gives a modern impression.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency            | 86 %                                                                                |
| Heats                 | up to 150 m <sup>2</sup>                                                            |
| Height                | 1260 mm                                                                             |
| Width                 | 540 mm                                                                              |
| Depth                 | 495 mm                                                                              |
| Weight                | 176 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 36 cm                                                                               |
| Energy classification |  |



**Accessories:** Shelf or cover, log compartment or door, freestanding shaped log storage and heat retaining powerstone.



Contura 600 Style



Contura 620 Style 

## Heating for everyone

Contura 620 Style is equipped with heat retaining powerstone and a convection damper as standard. You can also select a further 20 kg powerstone for even better heat storage (with front cover option). This means that you get even more heat out of your logs because the heat is retained in the stone. The model has a cast iron door. Select with or without a door on the lower compartment.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency            | 86 %                                                                                  |
| Heats                 | up to 150 m <sup>2</sup>                                                              |
| Height                | 1290 mm                                                                               |
| Width                 | 580 mm                                                                                |
| Depth                 | 515 mm                                                                                |
| Weight                | 250 kg                                                                                |
| Colour                | Black                                                                                 |
| Max. log length       | 36 cm                                                                                 |
| Energy classification |  |

**Accessories:** Powerstone (included in Contura 620 Style), soft close door. Additional 20kg powerstone with front cover option.

Contura 620T Style 

## Naturally veined and heat retaining soapstone

Contura 620T has a heat retaining soapstone surround. If you choose the cover, instead of the warming shelf above the door, you can also order powerstone, which means that you can extract even more heat. The model has a cast iron door. Select with or without a door on the lower compartment.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                            |
| Nominal output        | 6 kW                                                                              |
| Efficiency            | 86 %                                                                              |
| Heats                 | up to 150 m <sup>2</sup>                                                          |
| Height                | 1290 mm                                                                           |
| Width                 | 580 mm                                                                            |
| Depth                 | 515 mm                                                                            |
| Weight                | 250 kg                                                                            |
| Colour                | Black, Grey                                                                       |
| Max. log length       | 36 cm                                                                             |
| Energy classification |  |



**Accessories:** Powerstone, soft close door.



Contura 600 Style

Contura 620TG Style 

## A modern glass door

Equipped with a heat retaining soapstone surround, the Contura 620TG also has a modern glass door. If you choose the cover, instead of the warming shelf above the door, you can also order powerstone, which means that you can extract even more heat. Select with or without a door on the lower compartment.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency            | 86 %                                                                                |
| Heats                 | up to 150 m <sup>2</sup>                                                            |
| Height                | 1290 mm                                                                             |
| Width                 | 580 mm                                                                              |
| Depth                 | 515 mm                                                                              |
| Weight                | 250 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 36 cm                                                                               |
| Energy classification |  |



**Accessories:** Powerstone, soft close door.





Contura 690G Style 

## With a lot of everything

The Contura 690 models give a majestic impression of a tiled stove with the advantages of a modern stove: it displays a proper fire high above the floor. This model has lots of everything: three different colours, three different tops, two different doors, two surrounds and several accessories. Regardless of your favourite variant, you will enjoy many hours of cosiness and pleasant heat each time you light a fire.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency            | 86 %                                                                                  |
| Heats                 | up to 150 m <sup>2</sup>                                                              |
| Height                | 1650 mm                                                                               |
| Width                 | 540 mm                                                                                |
| Depth                 | 495 mm                                                                                |
| Weight                | 133 kg                                                                                |
| Colour                | Black,                                                                                |
| Max. log length       | 36 cm                                                                                 |
| Energy classification |  |

**Accessories:** painted aluminium, soapstone or glass top, freestanding, shaped wood storage, powerstone, fan. All models have a soft close door (standard).

Contura 690 Style 

## Powerful with a cast iron door

The cast iron door gives the stove a rustic feel and you can choose between black or grey paint. If you like the cast iron door you will love the easy open handle that does not get hot when the stove is in use.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                            |
| Nominal output        | 6 kW                                                                              |
| Efficiency            | 86 %                                                                              |
| Heats                 | up to 150 m <sup>2</sup>                                                          |
| Height                | 1650 mm                                                                           |
| Width                 | 540 mm                                                                            |
| Depth                 | 495 mm                                                                            |
| Weight                | 133 kg                                                                            |
| Colour                | Black, Grey                                                                       |
| Max. log length       | 36 cm                                                                             |
| Energy classification |  |



**Accessories:** painted aluminium, soapstone or glass top, freestanding, shaped wood storage, powerstone, fan. All models have a soft close door (standard).

Contura 690G Style 

## Timeless in white

With its modern yet timeless style, the tall model in white with a glass door works well with all types of interior design. You can choose between tops in glass, aluminium or soapstone, extra heat retaining powerstone and a freestanding log compartment that fits the shape of the stove.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency            | 86 %                                                                                |
| Heats                 | up to 150 m <sup>2</sup>                                                            |
| Height                | 1650 mm                                                                             |
| Width                 | 540 mm                                                                              |
| Depth                 | 495 mm                                                                              |
| Weight                | 133 kg                                                                              |
| Colour                | White                                                                               |
| Max. log length       | 36 cm                                                                               |
| Energy classification |  |



**Accessories:** painted aluminium or glass top, freestanding, shaped wood storage, powerstone, fan. All models have a soft close door (standard).



Contura 690 Style



Contura 690AG Style 

## With well thought out design and function

Artstone is a surround that is unique to Contura. A velvet-smooth, natural grey stone surrounds the whole stove with a storage compartment door as standard. The models in the tall 690 Style series are all equipped with a lower door and can be supplemented with heat retaining powerstone.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency            | 86 %                                                                                  |
| Heats                 | up to 150 m <sup>2</sup>                                                              |
| Height                | 1650 mm                                                                               |
| Width                 | 540 mm                                                                                |
| Depth                 | 495 mm                                                                                |
| Weight                | 240 kg                                                                                |
| Colour                | Black                                                                                 |
| Max. log length       | 36 cm                                                                                 |
| Energy classification |  |

**Accessories:** shaped log storage, powerstone, fan. All models have a lower section door (standard).



Contura 600 Style



### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency            | 86 %                                                                                |
| Heats                 | up to 150 m <sup>2</sup>                                                            |
| Height                | 1680 mm                                                                             |
| Width                 | 580 mm                                                                              |
| Depth                 | 515 mm                                                                              |
| Weight                | 322 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 36 cm                                                                               |
| Energy classification |  |

**Accessories:** powerstone, fan. All models have a lower door (standard).

Contura 690T Style 

## Extra heating with Soapstone

A larger stove has a greater output, that is, gives off more heat than a smaller one. There are also good ways of getting even more heat out of your stove. Soapstone is a naturally heat retaining material. With a soapstone surround the stove remains warm for several hours after the embers have died. The soapstone has unique natural veining, which means that no two stoves are the same.

Contura 800 Style Series



## Compact. Capable.

The new Contura 800 Style features an updated, even more elegant design. But above all, added features for easier fire lighting and tending. An autostarter for fast fire lighting, a booster to revive embers, and a silently sliding ash pan are just some of the new features to add to the pleasure of a real fire.

With a wide range of models and add-on options, you can be sure of finding your ideal stove. A heat source for any interior and every personality.

.....

Contura 810 Style

### Series base model

A compact stove for easy positioning in any interior. The base model in this range is available in grey, white and black, and the upgrade to Style now means that the door features an even taller glass pane for even better flame visibility. The chimney can be connected to the top or rear of the stove on all models.

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 950 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 80 kg                                                                               |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

#### Accessories

Painted aluminum, glass (black only) or soapstone top Soft close door, floor protection in glass or steel, outdoor air connection.





Contura 810G Style 

## Reflecting the light

The generous glass pane in the door of the Contura 810G Style creates a bright and energising effect. The light from the room and the heat from the fire blend together. All beautifully framed by the discreet side panels.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 950 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 77 kg                                                                               |
| Colour                | Black, White                                                                        |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Soft close door, floor protection in glass or steel, outdoor air connection.



Contura 810W Style 

## Up high, the fire is more visible

The wall-mounted model has large glass side panels creating a floating and lively stove. Available in black and grey. The Contura 810W can also be mounted in a corner.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 694 mm                                                                                |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 67 kg                                                                                 |
| Colour                | Black                                                                                 |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Outdoor air connection.



Contura 800 Style

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 965 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 125 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** floor protection in glass or steel, outdoor air connection.

Contura 820TG Style 

## Striking contrast

With natural soapstone side panels and a stylish glass door, this stove combines two design worlds in a striking way. The soapstone has an individual veining that gives each stove a unique character. The glass door showcases the fire and reflects light. Adding a burst of vibrancy and life to your interior.



Contura 820T Style 

## Natural soapstone

With panels in soapstone you'll have a beautiful, natural surround for your stove. Every soapstone fireplace will always be unique, as the veining of the natural stone is naturally variable. The naturally heat-retaining stone also provides comfortable and steady heating. A new feature in the Style upgrade is that the stone panels now have fewer joins as compared to previous models.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 965 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 105 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Soft close door, floor protection in glass or steel, outdoor air connection.



Contura 856G Style 

## Let the fire be seen

A stove doesn't just spread warmth and cosiness. The visual impression is just as important. The Contura 856 Style features generous side panes, making the flames visible anywhere in your interior. The stove will be a natural eye-catcher in your home, a place to gather round to get cosy together.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 950 mm                                                                                |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 77 kg                                                                                 |
| Colour                | Black, White                                                                          |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Soft close door, floor protection in glass or steel, outdoor air connection.



### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 950 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 125 kg                                                                              |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** floor protection in glass or steel, outdoor air connection.

Contura 856 Style 

## Let the fire be seen

A stove doesn't just spread warmth and cosiness. The visual impression is just as important. The Contura 856 Style features generous side panes, making the flames visible anywhere in your interior. The stove will be a natural eye-catcher in your home, a place to gather round to get cosy together.



Contura 856T Style 

## Side panes and soapstone

Combine the generous glass side panes with the appeal of soapstone. The Contura 856T Style is a stove for maximum flame visibility and a natural heat-retaining soapstone panel with unique stone veining. The flames off set by the natural soapstone create a distinctive look and ambience.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 965 mm                                                                                |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 105 kg                                                                                |
| Colour                | Black, Grey                                                                           |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Soft close door, floor protection in glass or steel, outdoor air connection.

Contura 856W Style 

## A work of art for your wall

Our wall-mounted model is practical and raises the fire to make it more visible. The generous side panes provide great flame visibility from all angles. The Contura 856W Style is available in several variants, so you can find the ideal design for your wall.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 81 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 694 mm                                                                            |
| Width                 | 465 mm                                                                            |
| Depth                 | 365 mm                                                                            |
| Weight                | 67 kg                                                                             |
| Colour                | Black                                                                             |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |

**Accessories:** Outdoor air connection.



Contura 800 Style

Contura 856WG Style 

## Gaze into the heat

The wall-mounted Contura 856WG Style is a practical and aesthetically pleasing choice. It raises the fire and can be placed wherever you want. The glass sides and glass door produce a wonderfully spacious feel.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 694 mm                                                                              |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 67 kg                                                                               |
| Colour                | Black, White                                                                        |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Outdoor air connection.





Contura 870 Style 

## Put your fire on a pedestal

Raise your stove and give the fire pride of place in your interior. A pedestal-mounted stove makes the fire more visible. It also provides an airy look underneath, and makes floor cleaning around the stove easier. With a turntable (optional), you can orient your stove smoothly full-circle for the best and cosiest view.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1100 mm                                                                             |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 85 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Turntable, glass or metal floor protector, outside air connection.



Contura 870G Style 

## The glass door adds extra style

Because the Contura 870G Style sits on a pedestal, its generous glass door really catches the eye. A turntable (optional) lets you effortlessly turn the stove to obtain the best view of the fire. A practical stove that easily finds a place in your home.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1100 mm                                                                               |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 85 kg                                                                                 |
| Colour                | Black, White                                                                          |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Turntable, glass or metal floor protector, outside air connection.

Contura 886G Style 

## An airier look

A pedestal stove makes the fire more visible in your interior. With the Contura 886G Style you also have the benefit of generous side panes, which almost make the fire look like it is floating in thin air. Combined with a turntable (optional) you can swivel the stove so that you can always see the fire from anywhere in the room. Our pedestal model in white is a great innovation.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 81 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1100 mm                                                                           |
| Width                 | 465 mm                                                                            |
| Depth                 | 365 mm                                                                            |
| Weight                | 82 kg                                                                             |
| Colour                | Black, White                                                                      |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |

**Accessories:** Turntable, glass or metal floor protector, outside air connection.



Contura 800 Style

Contura 886 Style 

## Discreet and warm profile

The black Contura 886 Style creates a subtle and comfortable impression. While the glass sides and glass door give the fire a dramatic presence. The natural centrepiece on dark, cosy evenings through the autumn and winter.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1100 mm                                                                             |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 82 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Turntable, glass or metal floor protector, outside air connection.





Contura 890 Style 

## Impressive presence

A stove to impress, but still in an easily-placed format. The tall Contura 890 Style spreads warmth and cosiness all around and will be a natural feature for your family to gather around. A stove with a distinct presence in any interior, whether lit or not.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1260 mm                                                                             |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 90 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |



**Accessories:** Glass or metal floor protector, heat storage, outside air connection.



Contura 890G Style 

## Stylish and striking

The Contura 890G Style is tall, sleek and impressive. Yet it blends seamlessly into any interior. The stove comes in contemporary, stylish white and in more subtle black. Its generous glass door provides outstanding flame visibility.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1260 mm                                                                               |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 90 kg                                                                                 |
| Colour                | Black, White                                                                          |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |



**Accessories:** Glass or metal floor protector, heat storage, outside air connection.

Contura 890T Style 

## A dramatic impression

The dramatic flickering of the flames off set by the calm and robust soapstone. Contura 890T Style is a stove with a format and appearance that won't go unnoticed. The naturally heat-retaining soapstone also radiates heat long after the last embers have died out.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 81 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1275 mm                                                                           |
| Width                 | 465 mm                                                                            |
| Depth                 | 365 mm                                                                            |
| Weight                | 150 kg                                                                            |
| Colour                | Black, Grey                                                                       |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |



**Accessories:** Glass or metal floor protector, heat storage, outside air connection.



Contura 800 Style

Contura 890TG Style 

## Natural and warm

Natural heat-retaining soapstone continues to radiate heat for hours. The generous glass door offers an unparalleled visual effect. You'll find the Contura 890TG Style stove keeps you lingering by its side.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 81 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 1275 mm                                                                             |
| Width                 | 465 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 150 kg                                                                              |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |



**Accessories:** Glass or metal floor protector, heat storage, outside air connection.





Contura 896G Style 

## More space for warmth

With its generous side panes and tall format, the Contura 896 Style gives the fire the pride of place it deserves in your home. This stove is available in several colours and variants. The 896 is easy to appreciate; a stove to attract gazes and people.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 81 %                                                                                  |
| Heats                 | up to 120 m <sup>2</sup>                                                              |
| Height                | 1260 mm                                                                               |
| Width                 | 465 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 87 kg                                                                                 |
| Colour                | Black, White                                                                          |
| Max. log length       | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Glass or metal floor protector, heat storage, outside air connection.

Contura 896 Style 

## Spreading warmth and comfort

Thanks to the glass sides of the discreetly designed Contura 896 Style, the fire almost looks like it is floating, especially on dark, cosy winter evenings. A stove that immediately becomes the natural source of comfort in the home.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–7 kW                                                                            |
| Nominal output        | 5 kW                                                                              |
| Efficiency            | 81 %                                                                              |
| Heats                 | up to 120 m <sup>2</sup>                                                          |
| Height                | 1260 mm                                                                           |
| Width                 | 465 mm                                                                            |
| Depth                 | 365 mm                                                                            |
| Weight                | 87 kg                                                                             |
| Colour                | Black, Grey                                                                       |
| Max. log length       | 33 cm                                                                             |
| Energy classification |  |



**Accessories:** Glass or metal floor protector, heat storage, outside air connection.



Contura 810L Classic 

## Easy to position, even in small spaces

The Contura 810L is available in black. Its elliptical shape makes this stove compact and attractive, making it very easy to position, even in small spaces.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4.5–6 kW                                                                            |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 82 %                                                                                |
| Heats                 | up to 90 m <sup>2</sup>                                                             |
| Height                | 715 mm                                                                              |
| Width                 | 460 mm                                                                              |
| Depth                 | 360 mm                                                                              |
| Weight                | 70 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 30 cm                                                                               |
| Energy classification |  |

**Accessories:** floor protection in glass or steel, outdoor air connection.



Contura 800 Style

## Contura 900 Style

# The best. And then some.

Contura 900 Style is the big brother of Contura 800 Style, one of our most popular and award-winning stove series. Contura 900 Style continues to build on the much-appreciated design and technology of Contura 800 Style, but adds much more. A larger format, new features and more generous glass panels. Discover Contura 900 Style, a new flagship in the Contura family.

## Choose your design and colour

Contura 900 Style is available in several colours, materials and heights, allowing you to find your particular favourite. From classic black and crisp white, to soapstone where each stove has its own unique, natural veining. Contura 900 Style is also available with or without glass side panels.



**Flame Visibility**  
Large side glass



**Heats up to**  
140 m<sup>2</sup>



**Output**  
3–8 kW





**New!**

900

### **Swedish craftsmanship in every detail**

Contura stoves are developed, manufactured and assembled in Sweden. In our factory in Markaryd, each and every stove is carefully inspected to ensure the very highest quality. We combine advanced, cutting-edge technology and solid craftsmanship to create world-class stoves, adapted to modern homes and conditions.

### **BPF – Bypass Function**

When opening the door on the Contura 900 Style, a bypass damper opens which captures the smoke and reduces the risk of it entering the room.





Contura 910 Style, black 

## Uncompromising output

The Contura 910 Style is a powerhouse that fits perfectly wherever you want to place it. Despite its smaller size, it delivers impressive output and quickly creates a warm and cozy atmosphere in the room. The robust cast iron door enhances the classic impression that lasts year after year. A perfect stove for those who seek functionality and quality without compromising the feeling of real wood burning.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                                |
| Efficiency            | 85 %                                                                                  |
| Heats                 | up to 140 m <sup>2</sup>                                                              |
| Height                | 1135 mm                                                                               |
| Width                 | 530 mm                                                                                |
| Depth                 | 410 mm                                                                                |
| Weight                | 108 kg                                                                                |
| Colour                | black                                                                                 |
| Max. log length       | 40 cm                                                                                 |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.

Contura 910G Style, white 

## Efficient and compact

The Contura 910G Style shares the same efficient and compact format as our base model (Contura 910 Style) but replaces the classic cast iron door with an elegant glass door. The result? A beautiful view straight into the heart of the flames. This stove is an obvious choice for those who want both smart heating and a visual experience. You get not just warmth, but a lively light point that becomes a natural part of your home. *Also available in black.*

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                            |
| Efficiency            | 85 %                                                                              |
| Heats                 | up to 140 m <sup>2</sup>                                                          |
| Height                | 1135 mm                                                                           |
| Width                 | 530 mm                                                                            |
| Depth                 | 410 mm                                                                            |
| Weight                | 108 kg                                                                            |
| Colour                | black, white                                                                      |
| Max. log length       | 40 cm                                                                             |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.

Contura 920T Style, grey 

## Smaller in size but big on function and comfort

Thanks to its surround made of natural soapstone, it has a unique ability to store heat and slowly release it over time, even after the fire has gone out. This makes the stove a perfect choice for those who want an even indoor temperature and lower wood consumption. The organic look of the soapstone also adds a warm, natural feel that fits any interior style. *Also available in black.*

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 85 %                                                                                |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1145 mm                                                                             |
| Width                 | 566 mm                                                                              |
| Depth                 | 450 mm                                                                              |
| Weight                | 188 kg                                                                              |
| Colour                | black, grey                                                                         |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.



Contura 956 Style, black 

## A fire experience

The side glass panels on the Contura 956 Style let the movement of the flames become part of the overall impression—from morning coffee at the dining table to evening relaxation on the sofa. The stove is built on the same compact frame as the other models in the 900 series and works equally well as a heat source and a visual mood setter. A perfect choice for those who want the presence of fire visible from all angles.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 84 %                                                                                |
| Heats                 | up to 140 m²                                                                        |
| Height                | 1135 mm                                                                             |
| Width                 | 530 mm                                                                              |
| Depth                 | 410 mm                                                                              |
| Weight                | 108 kg                                                                              |
| Colour                | black                                                                               |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.

Contura 956G Style, black 

## Design and aesthetics go hand in hand

With both a front glass door and side glass, you get a full panoramic view of the flames that naturally and beautifully light up the room. Its compact size makes it easy to place, even in smaller spaces. Let your stove become the heart of your home, a place to gather around and enjoy the warmth and light. *Also available in white.*

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                                |
| Efficiency            | 84 %                                                                                  |
| Heats                 | up to 140 m²                                                                          |
| Height                | 1135 mm                                                                               |
| Width                 | 530 mm                                                                                |
| Depth                 | 410 mm                                                                                |
| Weight                | 108 kg                                                                                |
| Colour                | black, white                                                                          |
| Max. log length       | 40 cm                                                                                 |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.



Contura 900 Style

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 84 %                                                                                |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1145 mm                                                                             |
| Width                 | 566 mm                                                                              |
| Depth                 | 450 mm                                                                              |
| Weight                | 165 kg                                                                              |
| Colour                | black, grey                                                                         |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Soft close door, floor protector, hotplate, outdoor air connection.

Contura 956T Style, grey 

## No compromise

Design, panoramic view, and long-lasting heat, all in one. The Contura 956T Style is the stove for those who don't want to compromise. It combines the best of several worlds: side glass that shows the flames from multiple angles, and a soapstone surround that retains heat long after the fire has gone out. A stove for those who appreciate both design and efficient burning—without having to choose. *Also available in black.*

Contura 990 Style, black 

## More of everything

The Contura 990 Style is the largest model in the series, and it shows. The powerful construction delivers both high performance and a stable presence in the room. It's a stove that both heats and impresses. Here you get traditional wood burning in a modern, sleek package. A true centerpiece with strength and character for those who want a substantial boost of both warmth and atmosphere.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                                |
| Efficiency            | 85 %                                                                                  |
| Heats                 | up to 140 m <sup>2</sup>                                                              |
| Height                | 1610 mm                                                                               |
| Width                 | 530 mm                                                                                |
| Depth                 | 410 mm                                                                                |
| Weight                | 130 kg                                                                                |
| Colour                | black                                                                                 |
| Max. log length       | 40 cm                                                                                 |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.

Contura 990G Style, white 

# The next level

Built on the same powerful frame as the 990 Style, but with a large glass door that elevates the experience to the next level. The Contura 990G Style is a stove that not only heats but also shows why you chose a wood-burning stove. The fire takes up space, both physically and visually, creating a living focal point in the room. An ideal model for those seeking something larger, with innovative design and majestic fire. *Also available in black.*

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                            |
| Efficiency            | 85 %                                                                              |
| Heats                 | up to 140 m <sup>2</sup>                                                          |
| Height                | 1610 mm                                                                           |
| Width                 | 530 mm                                                                            |
| Depth                 | 410 mm                                                                            |
| Weight                | 130 kg                                                                            |
| Colour                | black                                                                             |
| Max. log length       | 40 cm                                                                             |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.



Contura 990T Style, grey 

# Functionality, economy, and classic design

The Contura 990T Style is a powerful stove with a heat-retaining soapstone surround. The high output makes it excellent for larger spaces, while the soapstone ensures the heat lingers long after the fire has gone out. This stove is for those who want to combine functionality, economy, and classic design—in a solution that lasts over time. *Also available in black.*

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 85 %                                                                                |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1610 mm                                                                             |
| Width                 | 530 mm                                                                              |
| Depth                 | 410 mm                                                                              |
| Weight                | 240 kg                                                                              |
| Colour                | black                                                                               |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.



Contura 996 Style, black 

## A visual experience beyond the ordinary

With generous side glass panels, you get a view of the fire from multiple angles, bringing life and movement to the room. The large construction is perfect for open floor plans or as the centerpiece of a living room. Here, high heating performance is combined with design that both illuminates and warms. If you want a stove that delivers both heat and atmosphere at a high level, this is for you.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 84 %                                                                                |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1610 mm                                                                             |
| Width                 | 530 mm                                                                              |
| Depth                 | 410 mm                                                                              |
| Weight                | 130 kg                                                                              |
| Colour                | black                                                                               |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.

Contura 996G Style, white 

## A panoramic view where the flames are visible

Looking for innovative design where the fire in focus? Look no further. The magnificent Contura 996G Style combines modern design with classic warmth. With side glass and an elegant front glass door, a panoramic view is created where the flames are visible from all directions. *Also available in black.*

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                                |
| Efficiency            | 84 %                                                                                  |
| Heats                 | up to 140 m <sup>2</sup>                                                              |
| Height                | 1610 mm                                                                               |
| Width                 | 530 mm                                                                                |
| Depth                 | 410 mm                                                                                |
| Weight                | 130 kg                                                                                |
| Colour                | black, white                                                                          |
| Max. log length       | 40 cm                                                                                 |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.

**Specifications**

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–8 kW                                                                              |
| Efficiency            | 84 %                                                                                |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1610 mm                                                                             |
| Width                 | 530 mm                                                                              |
| Depth                 | 410 mm                                                                              |
| Weight                | 225 kg                                                                              |
| Colour                | black, grey                                                                         |
| Max. log length       | 40 cm                                                                               |
| Energy classification |  |

**Accessories:** Powerstone, floor protector, outdoor air connection.

Contura 996T Style, grey 

## Generous side glass and heat-retaining soapstone

The Contura 996T is a stove that provides efficient heating, long-lasting effect, and a grand visual expression. The fire becomes a natural part of the interior, and the heat remains long after the embers have faded—a uncompromising solution where form meets function in perfect harmony. *Also available in black.*

CONTURA

# MYCUBE



The image shows a modern interior space with a dark wood modular stove system. Two windows are integrated into the system, with light streaming through them. A red leather lounge chair with a tufted seat and backrest is positioned in front of the stove. To the left, a potted plant sits on a small round table. The overall atmosphere is warm and sophisticated.

**New!**

# Make it yours.

Create freely with the Contura MyCube modular stove system.



Contura MyCube G – right, black with glass door 

## Build from scratch

The first step in building your Contura MyCube system is to choose the stove cassette. We offer cassettes with glass on two or three sides. The Contura MyCube is also available in a wall-mounted version. You can choose between black and soapstone in all variants.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 7 kW                                                                                  |
| Efficiency            | 77 %                                                                                  |
| Height                | 1350 mm                                                                               |
| Width                 | 740 mm                                                                                |
| Depth                 | 375 mm                                                                                |
| Weight                | 157 kg                                                                                |
| Colour                | black                                                                                 |
| Max. log length       | 50 cm                                                                                 |
| Energy classification |  |

### Accessories:

Powerstone, floor protector, top-module, log box, bench, outdoor air connection, chimney.



Contura MyCube

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 7 kW                                                                                |
| Efficiency            | 77 %                                                                                |
| Height                | 1350 mm                                                                             |
| Width                 | 795 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 152 kg                                                                              |
| Colour                | black                                                                               |
| Max. log length       | 50 cm                                                                               |
| Energy classification |  |

#### Accessories:

Powerstone, floor protector, log box, bench, outdoor air connection, chimney.

Contura MyCube –black with cast iron door 

## Your home. Your room. Your stove.

With Contura MyCube, our modular stove system, you can design your stove exactly as you want it. Tall, wide, or compact – as unique as your own taste. Contura MyCube is for everyone who wants to think and design creatively, and always with the high quality for which we are known for.

MYCUBE

# Combinations



**Contura MyCube G**  
left, with 2 top modules  
and wood storage



**Contura MyCube**  
with 1 top module  
and wood storage



**Contura MyCube**  
with bench



**Contura MyCube G**  
wall-hung model



**Contura MyCube**  
left, with 1 top module



**Contura MyCube TG**  
right, soapstone,  
with 2 top modules



**Contura MyCube**  
with 3 top modules

## A capable heat source

The firebox in Contura MyCube is designed for a high level of efficiency. You can also choose to add heat-retaining Powerstone. One kit weighs 45 kg and fits in one top section – a total of 135 kg of Powerstone in three top sections. These allow the heat to be stored for a longer period of time, meaning the stove gives off heat long after the fire has burned out.



#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 7 kW                                                                                |
| Efficiency            | 77 %                                                                                |
| Height                | 1350 mm                                                                             |
| Width                 | 740 mm                                                                              |
| Depth                 | 375 mm                                                                              |
| Weight                | 265 kg                                                                              |
| Colour                | black                                                                               |
| Max. log length       | 50 cm                                                                               |
| Energy classification |  |

#### Accessories:

Powerstone, floor protector, log box, bench, outdoor air connection, chimney.

Contura MyCube T – Soapstone 

## Design. Mix. Match.

With Contura MyCube, you have a unique opportunity to create freely. The various accessories are easy to install and can be combined in just about any way you want. And as always with Contura, you are assured high build quality and sustainable materials.

Contura Cassettes

## **More heat and new life in your home**

If you're building a new fireplace or wanting to get more out of your old one, a cassette stove is the perfect solution. A cassette heats your home, unlike an open fireplace which loses heat up the chimney. A closed fireplace also releases far fewer particles into the atmosphere.

Contura is manufactured with the latest technology, which means that it is very energy efficient. The fireplace is easy to light and reaches full output within a few minutes. All Contura products are thoroughly tested so that you can light with a clear conscience and a great deal of pleasure.

Contura cassettes are available with a choice of sizes, doors and designs. Find your favourite!



Contura i1

## A cassette that always finds room

The cast iron Contura i1 is available with 3-sided and 4-sided frames. It is compact and sturdy, with a clean, stylish design that feels at home in both modern and traditional homes. It is the perfect choice for everybody who wants the warm, cozy feeling and at the same time save space.

### Upgrade your heating efficiency

Compared to an open fireplace, the Contura 110 and Contura i1 offer more efficient heating. An open fire usually draws more heat from a room than it adds. With Contura 110 and Contura i1 heat is emitted through the glass door. Your heat economy improves, with higher efficiency and more modern combustion technology.

#### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 80 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 565 mm                                                                              |
| Width                 | 390 mm                                                                              |
| Depth                 | 355 mm                                                                              |
| Weight                | 65 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 30 cm                                                                               |
| Energy classification |  |

#### Accessories

Sheet metal floor protection, outside air connection.



**Contura i1**  
with 4-sided frame



**Contura i1**  
with 3-sided frame



Contura i2

## Create your cosy space

Do you have your own vision of what a fireplace should look like and feel like? Contura i2 is a fireplace cassette that gives you creative freedom in a practical format that is easy to place. Choose a glass door that amplifies the light from the fire, or a cast iron door for a substantial, more traditional impression. Contura i2 is available with either a three-sided or four-sided frame.

## Upgrade your open fireplace

Contura i2 is not only a good choice for you who want to build something completely new. A cassette can also be used to upgrade existing fireplaces. An open fireplace can often draw more heat out of a room than it adds. With a fireplace cassette, a pleasant heat is spread through the glass. Your heating costs will be lower with higher efficiency and cleaner, more modern combustion technology.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 4–7 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 82 %                                                                                |
| Heats                 | up to 120 m <sup>2</sup>                                                            |
| Height                | 615/600 mm                                                                          |
| Width                 | 550 mm                                                                              |
| Depth                 | 305 mm                                                                              |
| Weight                | 85 kg                                                                               |
| Colour                | Black                                                                               |
| Max. log length       | 33 cm                                                                               |
| Energy classification |  |

### Accessories

Sheet metal floor protection, outside air connection.



**Contura i2**  
*with cast iron door  
and 4-sided frame*



**Contura i2G**  
*with glass door  
and 3-sided frame*



Contura i4 Modern

## Attention to both design and technology

Contura i4 Modern with three or four sided frame in modern design that blends easily into your home and is easy to position in the fireplace. It gives the old fireplace new life with a stripped down design, generous glass and efficient technology.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–5 kW                                                                              |
| Nominal output        | 4 kW                                                                                |
| Efficiency            | 78 %                                                                                |
| CO value              | 0,1%                                                                                |
| Height                | 635/590 mm                                                                          |
| Width                 | 490 mm                                                                              |
| Depth                 | 350 mm                                                                              |
| Weight                | 71 kg                                                                               |
| Colour                | Black, Grey                                                                         |
| Max. log length       | 25 cm                                                                               |
| Connection diameter   | 125 mm                                                                              |
| Energy classification |  |

### Accessories

Brushed steel handle, outside air connection.



**Contura i4 Modern**  
*black with cast iron door  
and 4-sided frame*



**Contura i4 Modern**  
*grey with glass door  
and 3-sided frame*



Contura i5

## Clean lines and large glass areas

Upgrading an open fireplace with an insert is a wise decision. The heat spreads through the room instead of disappearing up the chimney. With the efficient combustion technology in Contura i5, the logs last longer and soot is minimised so that the fire is always visible through large, clean glass.

Contura i5 with panorama door gives the fire a lot of space. Contura i5 with double doors is ideal for corner stoves where a larger door takes too much space. The modern impression is reinforced by the finned grille.

Contura i5L has additional cast iron legs for positioning in a fireplace recess and is available in black or grey and with panorama or double door configurations.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 78 %                                                                                |
| CO value              | 0,1 %                                                                               |
| Height                | 480 mm                                                                              |
| Width                 | 550 mm                                                                              |
| Depth                 | 433 mm                                                                              |
| Weight                | 77 kg                                                                               |
| Colour                | Black, Grey                                                                         |
| Wood length           | 35 cm                                                                               |
| Connection diameter   | 125 mm                                                                              |
| Energy classification |  |

**Accessories:** Finned or mesh grille that covers the opening around the cassette, outside air connection.



**Contura i5L**  
*black, panoramic door  
with cast iron legs.*



**Contura i5**  
*grey fireplace insert  
with double doors.*





Contura i6 

## Style for every environment

Contura i6 is the ideal choice for those who have their own ideas of what a cassette should look like and want to build a new fireplace. Choose the impression you want to give with a glass or a cast iron door.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                              |
| Nominal output        | 5 kW                                                                                |
| Efficiency            | 78%                                                                                 |
| CO value              | 0,1 %                                                                               |
| Height                | 545 mm                                                                              |
| Width                 | 625 mm                                                                              |
| Depth                 | 405 mm                                                                              |
| Weight                | 92 kg                                                                               |
| Wood length           | 35 cm                                                                               |
| Connection diameter   | 125 mm                                                                              |
| Energy classification |  |

**Accessories:** Outside air connection, hot air grate



Contura i6G 

## Heating for the prudent

Contura i6G is the ideal choice for those who have their own ideas of what a cassette should look like and want to build a new fireplace. Choose the impression you want to give with a glass or a cast iron door.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 3–9 kW                                                                                |
| Nominal output        | 5 kW                                                                                  |
| Efficiency            | 78%                                                                                   |
| CO value              | 0,1 %                                                                                 |
| Height                | 545 mm                                                                                |
| Width                 | 625 mm                                                                                |
| Depth                 | 405 mm                                                                                |
| Weight                | 92 kg                                                                                 |
| Wood length           | 35 cm                                                                                 |
| Connection diameter   | 125 mm                                                                                |
| Energy classification |  |

**Accessories:** Outside air connection, hot air grate

Contura i7 

## Build in with variation

The Contura i7 is our latest cassette. It allows you to customise your fireplace exactly as you want it. Place it inside a fireplace that you design yourself or, as illustrated, create your own unique solution.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                            |
| Nominal output        | 7 kW                                                                              |
| Efficiency            | 77%                                                                               |
| Weight                | 100 kg                                                                            |
| Width                 | 775 mm                                                                            |
| Depth                 | 360 mm                                                                            |
| Height                | 585 mm                                                                            |
| Max. log length       | 50 cm                                                                             |
| Connection diameter   | 150 mm                                                                            |
| Connection diameter   | *125 mm                                                                           |
| Energy classification |  |
| *Accessory            |                                                                                   |

**Accessories:** Outside air connection, hot air grate



Contura i7G 

## A glass door for a modern impression

Do you want to have a more modern looking fireplace? Choose a glass door! The glass and flames together help create a beautiful atmosphere.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77%                                                                                 |
| Weight                | 100 kg                                                                              |
| Width                 | 775 mm                                                                              |
| Depth                 | 360 mm                                                                              |
| Height                | 585 mm                                                                              |
| Max. log length       | 50 cm                                                                               |
| Connection diameter   | 150 mm                                                                              |
| Connection diameter   | *125 mm                                                                             |
| Energy classification |  |
| *Accessory            |                                                                                     |

**Accessories:** Outside air connection, hot air grate





Contura i8 

## Customise your fireplace

The Contura i8 offers you multiple options for creating a unique look in your home. The cassette comes in a range of designs with sidelights on both sides, or on just the right or left side. You can choose a door with a cast-iron frame (i8) for a robust and subtle look, or a glass frame (i8G) that emphasises the generous glass door and sidelights.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 7 kW                                                                                  |
| Efficiency            | 77%                                                                                   |
| CO value              | 0,1 %                                                                                 |
| Height                | 530 mm                                                                                |
| Width                 | 735 mm                                                                                |
| Depth                 | 365 mm                                                                                |
| Weight                | 100 kg                                                                                |
| Wood length           | 50 cm                                                                                 |
| Connection diameter   | 150 mm                                                                                |
| Connection diameter   | *125 mm                                                                               |
| Energy classification |  |

**Accessories:** Outside air connection

**Specifications**

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77%                                                                                 |
| CO value              | 0,1 %                                                                               |
| Height                | 530 mm                                                                              |
| Width                 | 735 mm                                                                              |
| Depth                 | 365 mm                                                                              |
| Weight                | 100 kg                                                                              |
| Wood length           | 50 cm                                                                               |
| Connection diameter   | 150 mm                                                                              |
| Connection diameter   | *125 mm                                                                             |
| Energy classification |  |

**Accessories:** Outside air connection

Contura i8G 

## Always warm and welcoming

Thanks to its sidelights, the new Contura i8 displays its fire from many angles. It produces an even heat and burns with outstanding efficiency. Our Clean Burning System spreads the heat across the inside of the glass, which helps to keep it cleaner. The Contura i8 is a high-quality product, made in Sweden and guaranteed to give years of pleasure.



Contura i8G Cosi, high 

## Follow the fire around the room

Three of the sides are glass so you can view the fire from anywhere in the room. The cassette stove is also available with the option of a glass pane on the right or left side. Our COSI surround kit lets you build your fireplace wherever you want in your home and give it the colour of your choice. The door with a glass frame adds a contemporary feel to any home.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 7 kW                                                                                  |
| Efficiency            | 77%                                                                                   |
| CO value              | 0,1 %                                                                                 |
| Height                | 2480 mm                                                                               |
| Width                 | 725 mm                                                                                |
| Depth                 | 450 mm                                                                                |
| Weight                | 100 kg                                                                                |
| Wood length           | 50 cm                                                                                 |
| Connection diameter   | 150 mm                                                                                |
| Connection diameter   | *125 mm                                                                               |
| Energy classification |  |

**Accessories:** Glass floor protector,  
outside air connection

Contura i8G Cosi, low 

## Room with space for comfort

Do you have a room with a low ceiling? Then we've got just what you need. Featuring glass panes on three sides, the Contura i8 Cosi low is the focal point of the room. You'll be supplied with everything you need to install it. Creating comfort and the perfect fireplace in your home has never been this easy.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                            |
| Nominal output        | 7 kW                                                                              |
| Efficiency            | 77%                                                                               |
| CO value              | 0,1 %                                                                             |
| Height                | 1650 mm                                                                           |
| Width                 | 725 mm                                                                            |
| Depth                 | 450 mm                                                                            |
| Weight                | 100 kg                                                                            |
| Wood length           | 50 cm                                                                             |
| Connection diameter   | 150 mm                                                                            |
| Connection diameter   | *125 mm                                                                           |
| Energy classification |  |

**Accessories:** Glass floor protector, outside air connection



Contura i8 Cosi

Contura i8 Cosi, high, right 

## Versatile fireplace

Create it to your taste and view the fire from several directions. You decide if the fire should be visible from the right, left or both sides! Thanks to the material's thermal insulation properties, the fireplace can be placed directly against a combustible wall. Give the fireplace a robust and classic look with a cast-iron-frame door.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 7 kW                                                                                |
| Efficiency            | 77%                                                                                 |
| CO value              | 0,1 %                                                                               |
| Height                | 2480 mm                                                                             |
| Width                 | 835 mm                                                                              |
| Depth                 | 450 mm                                                                              |
| Weight                | 100 kg                                                                              |
| Wood length           | 50 cm                                                                               |
| Connection diameter   | 150 mm                                                                              |
| Connection diameter   | *125 mm                                                                             |
| Energy classification |  |

**Accessories:** Glass floor protector, outside air connection



Contura Inserts

## Think freely with inserts

Give your ideas free rein by choosing an insert from Contura. Browse the following pages for lots of inspiration. Inserts are available in a range of sizes and with surrounds in a choice of materials so that you can create your dream fireplace. You can also build your own fireplace for the insert.

Whichever insert you choose, you'll enjoy a superb fire that will brighten your home and fill it with luxuriant heat.

## Build in heating!

A modern fireplace with generous glass gives you the sensations of the fire, at the same time that you use the energy to heat your home.

Contura is manufactured with the latest technology, which means that it is very energy efficient. The fireplace is easy to light and reaches full output within a few minutes. All Contura products are thoroughly tested so that you can light with a clear conscience and a great deal of pleasure.

## Discover new possibilities with HR glass

HR (Heat Reflective) glass is a revolutionary new product that reflects heat back into the combustion chamber by up to 16 times more than normal glass. This means that more heat stays inside the stove, creating a more efficient burn, less soot on the glass and a more beautiful, cleaner fire.

A Contura stove with HR glass provides a more comfortable feel in modern, well-insulated homes and can be placed closer to furnishings.

Several of our stoves now feature HR glass.







Contura i41AA, anthracite 

## Excellence in every detail

The Contura i41 stove has long been popular for its unique design with an angled door. Now available with an updated design – its timeless elegance has been enhanced, features have been refined and an even wider array of options allow you to customise it to your style.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–10 kW                                                                               |
| Nominal output        | 7 kW                                                                                  |
| Efficiency, up to     | 81 %                                                                                  |
| Height                | 1650 mm                                                                               |
| Width                 | 820 mm                                                                                |
| Depth                 | 500 mm                                                                                |
| Weight                | 355 kg                                                                                |
| Wood length           | 50 cm                                                                                 |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, glass floor protection, outside air connection, heat retaining powerstone.



Contura i41

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–10 kW                                                                             |
| Nominal output        | 7 kW                                                                                |
| Efficiency, up to     | 81 %                                                                                |
| Height                | 1650 mm                                                                             |
| Width                 | 820 mm                                                                              |
| Depth                 | 500 mm                                                                              |
| Weight                | 245 kg                                                                              |
| Wood length           | 50 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, glass floor protection, outside air connection, heat retaining powerstone.

Contura i41, black 

## Black or white?

Now available with black or white steel surround, the redesigned Contura i41 has been slimmed by 90 mm to a width of 820 mm, offering greater scope for positioning the stove and giving the fire the pride of place it deserves in your home.



Contura i41, white



Contura i41A, Natural

Contura i41A, white 

## A view from either side

The Contura i41 lets you enjoy the view of the fire from around the room. The glass door can be positioned on the right or left corner and provides a wide and clear view of the flames. It opens smoothly upwards, making the Contura i41 as much of a joy to use as it is to look at. Artstone is naturally heat retaining.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–10 kW                                                                               |
| Nominal output        | 7 kW                                                                                  |
| Efficiency, up to     | 81 %                                                                                  |
| Height                | 1650 mm                                                                               |
| Width                 | 820 mm                                                                                |
| Depth                 | 500 mm                                                                                |
| Weight                | 355 kg                                                                                |
| Wood length           | 50 cm                                                                                 |
| Energy classification |  |

### Log storage (Accessory)

|        |               |
|--------|---------------|
| Height | 500 mm        |
| Width  | 400 or 600 mm |
| Depth  | 500 mm        |
| Weight | 50 kg         |

Contura i41T 

## Naturally heat retaining.

The angled glass door of Contura i41 gives you even more possibilities to create a fireplace that stands out and lights up. The soapstone surround is naturally heat retaining.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–10 kW                                                                           |
| Nominal output        | 7 kW                                                                              |
| Efficiency, up to     | 81 %                                                                              |
| Height                | 1650 mm                                                                           |
| Width                 | 820 mm                                                                            |
| Depth                 | 500 mm                                                                            |
| Weight                | 420 kg                                                                            |
| Wood length           | 50 cm                                                                             |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, glass floor protection, outside air connection, heat retaining powerstone.



Contura i41

Contura i40 insert 

## Be creative when building

Let your imagination set the limits for your fireplace and build your own surround. This model is available in left-facing or right-facing versions.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–10 kW                                                                             |
| Nominal output        | 7 kW                                                                                |
| Efficiency, up to     | 81 %                                                                                |
| Height                | 1425 mm                                                                             |
| Width                 | 740 mm                                                                              |
| Depth                 | 500 mm                                                                              |
| Weight                | 160 kg                                                                              |
| Wood length           | 50 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, glass floor protection, outside air connection, heat retaining powerstone.





Contura i51, white 

## Lights in an instant

The white metal Contura i51 has fast become a favourite. The state-of-the-art design looks good in any modern home, of course, but what makes the i51 a real winner is that it has been air leakage checked and takes all the combustion air from outside. Lighting the fire couldn't be easier and the heating is extremely efficient.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                               |
| Nominal output        | 8 kW                                                                                  |
| Efficiency, up to     | 80%                                                                                   |
| Weight                | 230–400 kg                                                                            |
| Height                | 1650 mm                                                                               |
| Depth                 | 500 mm                                                                                |
| Width                 | 770 mm                                                                                |
| Colour                | Black, White                                                                          |
| Wood length           | 50 cm                                                                                 |
| Energy classification |  |

### Log Box (Optional)

|        |              |
|--------|--------------|
| Weight | 50 / 60 kg   |
| Height | 500 mm       |
| Depth  | 500 mm       |
| Width  | 400 / 650 mm |

Contura i51, black 

## A log box for variation

With generous glass areas on three sides and a spacious firebox, Contura i51 is truly an insert for the modern home. The technology beneath the aesthetic hood is specially adapted for houses with modern heating technology that creates negative pressure.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                           |
| Nominal output        | 8 kW                                                                              |
| Efficiency, up to     | 80%                                                                               |
| Weight                | 230–400 kg                                                                        |
| Height                | 1650 mm                                                                           |
| Depth                 | 500 mm                                                                            |
| Width                 | 770 mm                                                                            |
| Colour                | Black, White                                                                      |
| Wood length           | 50 cm                                                                             |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.



Contura i51

Contura i51A, white 

## Simple to position

Artstone is a stained white cast stone, unique to Contura. The insert is easy to position in the home. It takes up very little space and can be placed against a combustible wall. Supplement with a black painted steel log box.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                             |
| Nominal output        | 8 kW                                                                                |
| Efficiency, up to     | 80%                                                                                 |
| Weight                | 230–400 kg                                                                          |
| Height                | 1650 mm                                                                             |
| Depth                 | 500 mm                                                                              |
| Width                 | 770 mm                                                                              |
| Colour                | White                                                                               |
| Wood length           | 50 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.





Contura i51AN, natural 

## Raw concrete with a smooth finish

Artstone natural is raw concrete polished to a smooth surface with a soft grey hue, for those who like daring elegance.

Supplement with a black painted steel log box.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                               |
| Nominal output        | 8 kW                                                                                  |
| Efficiency, up to     | 80%                                                                                   |
| Weight                | 230–400 kg                                                                            |
| Height                | 1650 mm                                                                               |
| Depth                 | 500 mm                                                                                |
| Width                 | 770 mm                                                                                |
| Colour                | Natural                                                                               |
| Wood length           | 50 cm                                                                                 |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.

Contura i51T, soapstone 

## Lots of storage and heat

The natural heat retaining soapstone makes your i51T unique, because the stone's veining varies. Supplement with powerstone under the cover to retain the heat much, much longer.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                           |
| Nominal output        | 8 kW                                                                              |
| Efficiency, up to     | 80%                                                                               |
| Weight                | 230–400 kg                                                                        |
| Height                | 1650 mm                                                                           |
| Depth                 | 500 mm                                                                            |
| Width                 | 770 mm                                                                            |
| Wood length           | 50 cm                                                                             |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.



Contura i51

Contura i50 

## Be creative when building

Let your imagination set the limits for your fireplace and build your own surround.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 6–10 kW                                                                             |
| Nominal output        | 8 kW                                                                                |
| Efficiency, up to     | 80%                                                                                 |
| Weight                | 160 kg                                                                              |
| Height                | 1470 mm                                                                             |
| Depth                 | 485 mm                                                                              |
| Width                 | 765 mm                                                                              |
| Wood length           | 50 cm                                                                               |
| Powerstone            | 100 kg                                                                              |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.





Contura i61, black 

## Stylish, classic, practical

The heat and light from the fire of a black metal Contura i61 create a dramatic contrast. The perfect choice if you're looking for a fireplace with both a stylish and practical finish.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency, up to     | 81%                                                                                   |
| Heats                 | up to 140 m <sup>2</sup>                                                              |
| Height                | 1570 mm                                                                               |
| Width                 | 590 mm                                                                                |
| Depth                 | 500 mm                                                                                |
| Weight                | 195 kg                                                                                |
| Colour                | Black                                                                                 |
| Wood length           | 33 cm                                                                                 |
| Energy classification |  |

### Log Box (Optional)

|        |              |
|--------|--------------|
| Weight | 50 / 60 kg   |
| Height | 500 mm       |
| Depth  | 500 mm       |
| Width  | 400 / 650 mm |

Contura i61, white 

## A brighter feel

A white metal Contura i61 blends beautifully into your home, with typical Scandinavian aesthetic appeal that creates a bright and spacious feel. The highly-durable painted finish is designed to last.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                            |
| Nominal output        | 6 kW                                                                              |
| Efficiency, up to     | 81%                                                                               |
| Heats                 | up to 140 m <sup>2</sup>                                                          |
| Height                | 1570 mm                                                                           |
| Width                 | 590 mm                                                                            |
| Depth                 | 500 mm                                                                            |
| Weight                | 195 kg                                                                            |
| Colour                | White                                                                             |
| Wood length           | 33 cm                                                                             |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.



Contura i61

Contura i61AN, natural 

## Heat resistant with a multitude of variations

Artstone is resistant to fluctuations in temperature and the natural variant is also ideal to paint. Ask your dealer about the option of a Contura i61 in your own favourite colour!

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency, up to     | 81%                                                                                 |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1570 mm                                                                             |
| Width                 | 590 mm                                                                              |
| Depth                 | 500 mm                                                                              |
| Weight                | 275 kg                                                                              |
| Colour                | Natural                                                                             |
| Wood length           | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.





Contura i61AA, anthracite 

## Velvety smooth character

Artstone Anthracite is polished concrete with a velvety smooth surface in a deep shade of anthracite grey. The material brings unique character to your fireplace and is now also available for our easy-position Contura i61 stove. Choose a log box for smart storage.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency, up to     | 81%                                                                                 |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1570 mm                                                                             |
| Width                 | 590 mm                                                                              |
| Depth                 | 500 mm                                                                              |
| Weight                | 275 kg                                                                              |
| Colour                | Anthracite                                                                          |
| Wood length           | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.



Contura i61A, white 

## Strength and beauty

Artstone is raw concrete polished to a smooth surface. It has a contemporary feel which combines beauty and strength with inspiration from industrial design. White Artstone adds a bright and uplifting edge to your interior.

### Specifications

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                                |
| Nominal output        | 6 kW                                                                                  |
| Efficiency, up to     | 81%                                                                                   |
| Heats                 | up to 140 m <sup>2</sup>                                                              |
| Height                | 1570 mm                                                                               |
| Width                 | 590 mm                                                                                |
| Depth                 | 500 mm                                                                                |
| Weight                | 275 kg                                                                                |
| Colour                | White                                                                                 |
| Wood length           | 33 cm                                                                                 |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.

Contura i61T, soapstone 

## No two fireplaces are the same

Soapstone is a naturally heat-retaining stone that makes every fireplace unique due to its natural veining. It produces a beautiful fireplace that you can really call your own.

### Specifications

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                            |
| Nominal output        | 6 kW                                                                              |
| Efficiency, up to     | 81%                                                                               |
| Heats                 | up to 140 m <sup>2</sup>                                                          |
| Height                | 1570 mm                                                                           |
| Width                 | 590 mm                                                                            |
| Depth                 | 500 mm                                                                            |
| Weight                | 320 kg                                                                            |
| Colour                | Soapstone                                                                         |
| Wood length           | 33 cm                                                                             |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.



Contura i61

Contura i60, insert 

## Minimalism or maximalism – your choice!

The fireplace is also available as an insert, the Contura i60. Let your fireplace blend discreetly into the wall or go for a bold design where the only limit is your imagination and you build your own unique masonry surround. The choice is yours.

### Specifications

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Output                | 5–9 kW                                                                              |
| Nominal output        | 6 kW                                                                                |
| Efficiency, up to     | 81%                                                                                 |
| Heats                 | up to 140 m <sup>2</sup>                                                            |
| Height                | 1530 mm                                                                             |
| Width                 | 585 mm                                                                              |
| Depth                 | 500 mm                                                                              |
| Weight                | 145 kg                                                                              |
| Colour                | Black                                                                               |
| Wood length           | 33 cm                                                                               |
| Energy classification |  |

**Accessories:** Easy-to-position black log box, outside air connection, heat retaining powerstone.





# Give Contura a personal touch

You have probably realised that Contura's basic models satisfy most tastes. You may have found your own favourite. Now it is time to choose the options! Thanks to our ingenious, Smålander designs it is possible to make a completely personal Contura that meets your needs.

**Contura has options for the economic minded:** A fan that increases the efficiency.

**Contura has options for the orderly:** You can keep a lighter, kindling and gloves behind a door.

**Contura has options for the aesthete:** How do you want to top your Contura? With soapstone, steel plate, glass or cast iron?

Here you can read more about hotplates, the turntable & floor protection to make your Contura stove fit your home perfectly.

## Heat can be used for many things

Several of our models can be supplemented with a fan that gives an extra kick to the heat. A hotplate or soapstone top is an energy saving complement to the usual hob and oven.

# Options for comfort and function

Here is an overview of options that increase the benefits and pleasure of using your stove. Bear in mind that certain options cannot be combined on all models. The complete range of options can be found at [www.contura.eu](http://www.contura.eu)



**Drawer.** Convenient and spacious steel box placed under the stove (Contura 300 series only).



**Cast iron hot plate.** Perfect for when you want to use the stove to heat up food and drink.



**Freestanding wood storage.** Exclusive to Contura 600 Style series.



**Freestanding log box.** Available for Contura 300 series stoves. A steel log box can be placed under the Contura 330G or on the side of the Contura 310 and Contura 320. Placed horizontally holds logs up to 50 cm in length.



**Fan.** Distributes the heat quickly and provides a more even temperature. It is thermostat-controlled and starts when the fire is lit and stops when the fire has gone out. Easy to install and can also be retrofitted.



**Glass top.** Give your stove a modern look with a glass top. Suitable for Contura 500, 600 and 800 Style.



**Painted Aluminum.** For clean lines and a modern finish. Suitable for the Contura 500, 600 and 800 Style



**Soapstone top.** Each piece of soapstone is unique in its beautiful veining. The stone retains heat for a long time and also acts as a hotplate.



**Turntable.** Stepless rotation through 360 degrees. The turning angle and the speed of rotation are adjustable. Suitable for all Contura 500, 600 and 780, 880.



**Soft-close door.** Store logs, matches and protective gloves behind a matching, soft-closing door.



**Floor protection.** Our practical floor protectors are available in black or grey sheet metal or transparent, toughened glass. In addition to being attractive and protecting the floor they are easy to remove for cleaning.



**Heat tank.** The powerstone heat tank is concealed in the stove and retains the heat for a long time. In the models of the Contura 500, 600, 700 and 30 ranges the heat tank cannot be combined with the fan.



**Log box.** A practical compartment under the stove which keeps the logs in order is standard on several models.

# Options for Contura Inserts and Cassettes

Bear in mind that certain options cannot be combined on all models. The complete range of options can be found at [www.contura.eu](http://www.contura.eu)



**Elegant finned grille.** Stove openings larger than the dimensions of the insert can be concealed by a matching finned grille. This is easy to cut to the perfect size and install.



**Mesh grille.** Stove openings larger than the dimensions of the insert can be concealed by a matching mesh grille. This is easy to cut to the perfect size and install.



**Legs.** Contura i5 can be supplemented with short legs.



**Heat Tank.** 200 kg Powerstone for Contura i31 and i41 and 100 kg Powerstone for Contura i51 if you want to retain heat for longer.



**Log Box.** A black painted steel log box is available for Contura i41, i51 and i61. You determine where and how it should be located. Strong enough to use as a bench or extra surface.

# Product Information

Facts about all the stoves are gathered here, model by model so that you can plan your choice. Using the dimensions diagrams you can measure exactly how the fireplace can be positioned.

## Safety tested

CE labelling is an important part of EU product legislation and includes construction products, machinery and toys. The CE label certifies that the product meets the most important characteristic, namely, safety.

All products made by Contura are CE labelled.

## Up to 10-year warranty!

When you buy a complete stove from Contura you always get a five-year stove body factory warranty. Good service and parts availability are additional assurances during the service life of the stove.

*Register your stove and receive 10-years warranty.*

*Find out more information at **contura.eu***



# Technical Specifications

Basic information relating to products found in this brochure.

For more information visit [contura.eu](https://contura.eu)

## Freestanding Stoves

| Model                      | Output (kW) | Efficiency (%) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Min distance from back (mm) | Min distance from side (mm) | Max log length (mm) |
|----------------------------|-------------|----------------|-------------|------------|------------|-------------|-----------------------------|-----------------------------|---------------------|
| <b>Contura 100</b>         |             |                |             |            |            |             |                             |                             |                     |
| 110                        | 4-7         | 80             | 565         | 390        | 355        | 65          | 150                         | 400                         | 300                 |
| 130                        | 4-7         | 80             | 545         | 465        | 375        | 75          | 100                         | 100                         | 300                 |
| 130 with log box           | 4-7         | 80             | 850         | 465        | 375        | 75          | 100                         | 100                         | 300                 |
| <b>Contura 200</b>         |             |                |             |            |            |             |                             |                             |                     |
| 210                        | 4-7         | 82             | 615         | 500        | 355        | 85          | 200                         | 250                         | 330                 |
| 210 with log box           | 4-7         | 82             | 845         | 500        | 355        | 85          | 200                         | 250                         | 330                 |
| <b>Contura 300</b>         |             |                |             |            |            |             |                             |                             |                     |
| 310                        | 5-9         | 77             | 850         | 750        | 375        | 130         | 100                         | 500                         | 500                 |
| 320A (G)                   | 5-9         | 77             | 850         | 750        | 375        | 175         | 100                         | 500                         | 500                 |
| 320T (G)                   | 5-9         | 77             | 850         | 750        | 375        | 190         | 100                         | 500                         | 500                 |
| 330G                       | 5-9         | 77             | 570         | 750        | 375        | 115         | 100                         | 500                         | 500                 |
| <b>Contura 500 Style</b>   |             |                |             |            |            |             |                             |                             |                     |
| 510 (G)                    | 3-7         | 80             | 1066        | 495        | 440        | 100         | 100                         | 500                         | 330                 |
| 520                        | 3-7         | 80             | 1100        | 570        | 477        | 205         | 100                         | 468                         | 330                 |
| 520T                       | 3-7         | 80             | 1100        | 566        | 475        | 221         | 100                         | 468                         | 330                 |
| 556 (G)                    | 3-7         | 80             | 1066        | 495        | 440        | 100         | 100                         | 500                         | 330                 |
| 556T                       | 3-7         | 80             | 1083        | 542        | 440        | 175         | 100                         | 500                         | 330                 |
| 590T                       | 3-7         | 80             | 1544        | 542        | 463        | 240         | 100                         | 480                         | 330                 |
| 596 (G)                    | 3-7         | 80             | 1529        | 495        | 440        | 136         | 100                         | 500                         | 330                 |
| 596T                       | 3-7         | 80             | 1544        | 542        | 463        | 220         | 100                         | 479                         | 330                 |
| <b>Contura 556 Connect</b> |             |                |             |            |            |             |                             |                             |                     |
| 556 Connect                | 3-7         | 83             | 1071        | 495        | 495        | 106         | 50                          | 500                         | 330                 |
| <b>Contura 600 Style</b>   |             |                |             |            |            |             |                             |                             |                     |
| 610 (G)                    | 3-9         | 86             | 1260        | 540        | 495        | 120         | 100                         | 528                         | 360                 |
| 610AG                      | 3-9         | 86             | 1260        | 540        | 495        | 176         | 100                         | 528                         | 360                 |
| 620                        | 3-9         | 86             | 1290        | 580        | 515        | 250         | 100                         | 507                         | 360                 |
| 620T (G)                   | 3-9         | 86             | 1290        | 580        | 515        | 250         | 100                         | 507                         | 360                 |
| 690 (G)                    | 3-9         | 86             | 1650        | 540        | 495        | 133         | 100                         | 528                         | 360                 |
| 690AG                      | 3-9         | 86             | 1650        | 540        | 495        | 240         | 100                         | 528                         | 360                 |
| 690T                       | 3-9         | 86             | 1680        | 580        | 515        | 322         | 100                         | 507                         | 360                 |

## Freestanding Stoves (continued)

| Model                    | Output (kW) | Efficiency (%) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Min distance from back (mm) | Min distance from side (mm) | Max log length (mm) |
|--------------------------|-------------|----------------|-------------|------------|------------|-------------|-----------------------------|-----------------------------|---------------------|
| <b>Contura 800 Style</b> |             |                |             |            |            |             |                             |                             |                     |
| 810 (G)                  | 3–7         | 81             | 950         | 465        | 365        | 80          | 100                         | 350                         | 330                 |
| 810W                     | 3–7         | 81             | 694         | 465        | 365        | 67          | -                           | 350                         | 330                 |
| 820T (G)                 | 3–7         | 81             | 965         | 465        | 365        | 125         | 100                         | 350                         | 330                 |
| 856 (G)                  | 3–7         | 81             | 950         | 465        | 365        | 77          | 100                         | 500                         | 330                 |
| 856W (G)                 | 3–7         | 81             | 694         | 465        | 365        | 67          | -                           | 500                         | 330                 |
| 856T (G)                 | 3–7         | 81             | 965         | 465        | 365        | 105         | 100                         | 500                         | 330                 |
| 870 (G)                  | 3–7         | 81             | 1100        | 465        | 365        | 85          | 100                         | 350                         | 330                 |
| 886 (G)                  | 3–7         | 81             | 1100        | 465        | 365        | 82          | 100                         | 500                         | 330                 |
| 890 (G)                  | 3–7         | 81             | 1260        | 465        | 365        | 90          | 100                         | 350                         | 330                 |
| 890T (G)                 | 3–7         | 81             | 1275        | 465        | 365        | 150         | 100                         | 350                         | 330                 |
| 896 (G)                  | 3–7         | 81             | 1260        | 465        | 365        | 87          | 100                         | 500                         | 330                 |

### Contura 800 (Classic)

|      |     |    |     |     |     |    |     |     |     |
|------|-----|----|-----|-----|-----|----|-----|-----|-----|
| 810L | 3–6 | 82 | 715 | 460 | 360 | 70 | 100 | 350 | 300 |
|------|-----|----|-----|-----|-----|----|-----|-----|-----|

### Contura 900 Style

|         |     |    |      |     |     |     |     |     |     |
|---------|-----|----|------|-----|-----|-----|-----|-----|-----|
| 910 (G) | 3–8 | 85 | 1135 | 530 | 410 | 108 | 100 | 450 | 330 |
| 920T    | 3–8 | 85 | 1145 | 566 | 450 | 188 | 100 | 450 | 330 |
| 956 (G) | 3–8 | 84 | 1135 | 530 | 410 | 108 | 100 | 450 | 330 |
| 956T    | 3–8 | 84 | 1145 | 566 | 450 | 165 | 100 | 450 | 330 |
| 990 (G) | 3–8 | 85 | 1610 | 530 | 410 | 130 | 100 | 450 | 330 |
| 990T    | 3–8 | 85 | 1620 | 566 | 450 | 240 | 100 | 450 | 330 |
| 996 (G) | 3–8 | 84 | 1610 | 560 | 410 | 130 | 100 | 450 | 330 |
| 996T    | 3–8 | 84 | 1620 | 566 | 450 | 225 | 100 | 450 | 330 |

### Contura MyCube

|               |   |    |      |     |     |     |     |     |     |
|---------------|---|----|------|-----|-----|-----|-----|-----|-----|
| MyCube (G)    | 7 | 77 | 1145 | 740 | 375 | 145 | 80  | 500 | 500 |
| Right or Left | 7 | 77 | 1145 | 795 | 375 | 150 | 80  | 500 | 500 |
| MyCube T (G)  | 7 | 77 | 1350 | 740 | 375 | 245 | 80  | 500 | 500 |
| Right or Left | 7 | 77 | 1350 | 795 | 375 | 265 | 80  | 500 | 500 |
| MyCube B (G)  | 7 | 77 | 890  | 740 | 365 | 115 | 100 | 500 | 500 |
| MyCube W (G)  | 7 | 77 | 540  | 740 | 365 | 115 | -   | 500 | 500 |

## Inserts & Cassettes

| Model                  | Output (kW) | Efficiency (%) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Min distance from back (mm) | Min distance from side (mm) | Max log length (mm) |
|------------------------|-------------|----------------|-------------|------------|------------|-------------|-----------------------------|-----------------------------|---------------------|
| i1 3/4-sided frame     | 4–7         | 80             | 540/550     | 480        | 350        | 68          | 40*                         | 20*                         | 300                 |
| i2 (G) 3/4-sided frame | 4–7         | 82             | 600/615     | 550        | 305        | 85          | 55*                         | 20*                         | 330                 |
| i4 3/4-sided frame     | 3–5         | 78             | 590/635     | 490        | 380        | 71/72       | 50*                         | 50*                         | 330                 |
| i5                     | 3–9         | 78             | 480         | 550        | 433        | 77          | 20*                         | 20*                         | 350                 |
| i6 (G)                 | 3–9         | 78             | 545         | 625        | 405        | 80          | 20*                         | 50*                         | 350                 |
| i7 (G)                 | 5–9         | 77             | 585         | 775        | 360        | 100         | 20*                         | 100*                        | 500                 |
| i8 (G)                 | 5–9         | 77             | 530         | 735        | 365        | 100         | 20*                         | 100*                        | 500                 |
| i8 Cosi (G) low/high   | 5–9         | 77             | 1650/2480   | 725        | 450        | 155/170     | 20*                         | 500**                       | 500                 |
| i40                    | 5–10        | 81             | 1425        | 740        | 500        | 160         | 50*                         | 500**                       | 500                 |
| i41                    | 5–10        | 81             | 1650        | 820        | 500        | 245-420     | 0                           | 200**                       | 500                 |
| i50                    | 6–10        | 80             | 1470        | 765        | 485        | 160         | 50*                         | 700                         | 500                 |
| i51                    | 6–10        | 80             | 1650        | 770        | 500        | 215-350     | 0                           | 700                         | 500                 |
| i60                    | 5–9         | 81             | 1530        | 585        | 500        | 145         | 50*                         | 500                         | 330                 |
| i61                    | 5–9         | 81             | 1570        | 590        | 500        | 195-320     | 0                           | 500                         | 330                 |

\* to firewall

\*\* from surround

# Overview – all models

All Contura's stoves can be compared here. For detailed information about flame visibility, measurements, output and options, see the relevant section.

-  Fan
-  The stove is available in black or grey paint
-  Flame visibility
-  The stove is available in black or white paint
-  The stove is available in black paint
-  The stove is available in black, grey or white paint
-  The stove is available in grey paint
-  The tiles are available in white

## Contura 110/130

Contura 110  
Cast iron door



Contura 130  
Cast iron door



Contura 130  
Cast iron door, with  
wood compartment



## Contura 210

Contura 210  
Cast iron door



Contura 210  
Cast iron door, with  
wood compartment



Contura 210  
Cast iron door, with  
soft-close door



Contura 210 Classic  
Cast iron door, with  
soft-close door



Contura 210 Modern  
Cast iron door, with  
soft-close door



## Contura 210G

Contura 210G  
Glass door



Contura 210G  
Glass door, with  
wood compartment



Contura 210G  
Glass door, with  
soft-close door



Contura 210G Classic  
Glass door, with  
soft-close door



Contura 210G Modern  
Glass door, with  
soft-close door



## Contura 300

Contura 310  
Steel, cast iron door



Contura 320A  
Artstone, cast iron door



Contura 320AG  
Artstone, glass door



Contura 320T  
Soapstone, cast iron door



Contura 320TG  
Soapstone, glass door



Contura 330G  
Steel, glass door



## Contura 510 Style

Contura 510:1 Style  
Painted aluminium door  
and top



Contura 510:2 Style  
Painted aluminium door,  
glass top (only for black)



Contura 510:3 Style  
Painted aluminium door,  
soapstone top



## Contura 510G Style

Contura 510G:1 Style  
Glass door, painted  
aluminium top



Contura 510G:1 Style  
Glass door, painted  
aluminium top



Contura 510G:2 Style  
Glass door and top



Contura 510G:2 Style  
Glass door and top



Contura 510G:3 Style  
Glass door, soapstone top



## Contura 520 Style

Contura 520 Style  
Steel surround (standard:  
Powerstone 100 kg)



Contura 520T Style  
Soapstone surround



## Contura 556 Style

Contura 556:1 Style  
Painted aluminium door  
and top



Contura 556:2 Style  
Painted aluminium door,  
glass top (only for black)



Contura 556:3 Style  
Painted aluminium door,  
soapstone top



## Contura 556G / 556T Style

Contura 556G:1 Style  
Painted aluminium top



Contura 556G:1 Style  
Painted aluminium top



Contura 556G:2 Style  
Glass top



Contura 556G:2 Style  
Glass top



Contura 556G:3 Style  
Soapstone top



Contura 556T Style  
Soapstone



## Contura 590 / 596 / 596G / 596T Style

Contura 590T Style  
Soapstone



Contura 590T Style  
Soapstone



Contura 596:1 Style  
Painted aluminium top



Contura 596G:1 Style  
Painted aluminium top



Contura 596G:3 Style  
Soapstone top



Contura 596T Style  
Soapstone



## Contura Connect 510 / 510G / 556 / 556G / 596 / 596G

Contura Connect 510  
black



Contura Connect 510G  
black



Contura Connect 556  
black



Contura 556G Connect  
white



Contura Connect 596  
black



Contura Connect 596G  
black



## Contura 610 Style

Contura 610:1  
Painted aluminium top and  
warming shelf



Contura 610:2  
Glass top and warming  
shelf (only for black)



Contura 610:3  
Soapstone top and  
warming shelf



Contura 610:4  
Painted aluminium top and  
front cover



Contura 610:5  
Glass top and front cover  
(only for black)



Contura 610:6  
Soapstone top and front  
cover



## Contura 610G Style

Contura 610G:1  
Painted aluminium top and  
warming shelf



Contura 610G:2  
Glass top and warming  
shelf



Contura 610G:3  
Soapstone top and  
warming shelf



Contura 610G:4  
Painted aluminium top and  
front cover



Contura 610G:5  
Glass top and front cover



Contura 610G:6  
Soapstone top and front  
cover



## Contura 610AG / 620 / 620T Style

Contura 610AG:1  
Artstone, glass door,  
warming shelf



Contura 610AG:2  
Artstone, glass door, front  
cover



Contura 620:1  
Steel, cast iron door,  
warming shelf



Contura 620:2  
Steel, cast iron door, front  
cover



Contura 620T:1  
Soapstone, cast iron door,  
warming shelf



Contura 620T:2  
Soapstone, glass door,  
front cover



## Contura 690 / 690G / 690AG / 690T Style

Contura 690:1  
Painted aluminium top



Contura 690:2  
Glass top



Contura 690G:2  
Glass top



Contura 690G:3  
Soapstone top



Contura 690AG  
Artstone, glass door



Contura 690T  
Soapstone, cast iron door



## Contura 810 / 810G Style

Contura 810:1 Style  
Painted aluminum top



Contura 810:2 Style  
Glass top



Contura 810:3 Style  
Soapstone top



Contura 810G:1 Style  
Painted aluminum top



Contura 810G:2 Style  
Glass top



Contura 810G:3 Style  
Soapstone top



## Contura 810W / 820T / 820TG Style

Contura 810W:1 Style  
Painted aluminum top



Contura 810W:2 Style  
Glass top



Contura 810W:3 Style  
Soapstone top



Contura 820T Style  
Soapstone



Contura 820TG Style  
Soapstone



## Contura 856 / 856G Style

Contura 856:1 Style  
Painted aluminum top



Contura 856:2 Style  
Glass top



Contura 856:3 Style  
Soapstone top



Contura 856G:1 Style  
Painted aluminum top



Contura 856G:2 Style  
Glass top



Contura 856G:3 Style  
Soapstone top



## Contura 856T / 856TG / 890T / 890TG Style

Contura 856T Style  
Soapstone



Contura 856TG Style  
Soapstone



Contura 890T Style  
Soapstone



Contura 890TG Style  
Soapstone



## Contura 856W / 856WG Style

Contura 856W:1 Style  
Painted aluminum top



Contura 856W:2 Style  
Glass top



Contura 856W:3 Style  
Soapstone top



Contura 856WG:1 Style  
Painted aluminum top



Contura 856WG:2 Style  
Glass top



Contura 856WG:3 Style  
Soapstone top



## Contura 870 / 870G Style

Contura 870:1 Style  
Painted aluminum top



Contura 870:2 Style  
Glass top



Contura 870:3 Style  
Soapstone top



Contura 870G:1 Style  
Painted aluminum top



Contura 870G:2 Style  
Glass top



Contura 870G:3 Style  
Soapstone top



## Contura 886 / 886G Style

Contura 886:1 Style  
Painted aluminum top



Contura 886:2 Style  
Glass top



Contura 886:3 Style  
Soapstone top



Contura 886G:1 Style  
Painted aluminum top



Contura 886G:2 Style  
Glass top



Contura 886G:3 Style  
Soapstone top



## Contura 890 / 890G Style

Contura 890:1 Style  
Painted aluminum top



Contura 890:2 Style  
Glass top



Contura 890:3 Style  
Soapstone top



Contura 890G:1 Style  
Painted aluminum top



Contura 890G:2 Style  
Glass top



Contura 890G:3 Style  
Soapstone top



## Contura 896 / 896G Style

Contura 896:1 Style  
Painted aluminum top



Contura 896:2 Style  
Glass top



Contura 896:3 Style  
Soapstone top



Contura 896G:1 Style  
Painted aluminum top



Contura 896G:2 Style  
Glass top



Contura 896G:3 Style  
Soapstone top



## Contura 810L Classic

Contura 810L Classic  
Cast iron top



## Contura 910 / 910G / 920T Style

Contura 910:1 Style  
Aluminiumstop



Contura 910:3 Style  
Fedtstenstop



Contura 910G:1 Style  
Aluminiumstop



Contura 910G:1 Style  
Aluminiumstop



Contura 920T Style  
Fedtstenstop



Contura 920T Style  
Fedtstenstop



## Contura 956 / 956G / 956T Style

Contura 956:1 Style  
Aluminiumstop



Contura 956:3 Style  
Fedtstenstop



Contura 956G:1 Style  
Aluminiumstop



Contura 956G:1 Style  
Aluminiumstop



Contura 956T Style  
Fedtstenstop



Contura 956T Style  
Fedtstenstop



## Contura 990 / 990G / 990T Style

Contura 990:1 Style  
Aluminiumstop



Contura 990:3 Style  
Fedtstenstop



Contura 990G:1 Style  
Aluminiumstop



Contura 990G:1 Style  
Aluminiumstop



Contura 990T Style  
Fedtstenstop



Contura 990T Style  
Fedtstenstop



## Contura 996 / 996G / 996T Style

Contura 990:1 Style  
Aluminiumstop



Contura 990:3 Style  
Fedtstenstop



Contura 990G:1 Style  
Aluminiumstop



Contura 990G:1 Style  
Aluminiumstop



Contura 990T Style  
Fedtstenstop



Contura 990T Style  
Fedtstenstop



## Contura MyCube / MyCube G

Contura MyCube  
Sort



Contura MyCube  
Sort, venstre



Contura MyCube  
Sort, højre



Contura MyCube G  
Sort



Contura MyCube G  
Sort, venstre



Contura MyCube G  
Sort, højre



## Contura MyCube T / MyCube TG

Contura MyCube T  
Sort



Contura MyCube T  
Sort, venstre



Contura MyCube T  
Sort, højre



Contura MyCube TG  
Sort



Contura MyCube TG  
Sort, venstre



Contura MyCube TG  
Sort, højre



## Contura MyCube B (bench)

## Contura MyCube W (wall hung)

Contura MyCube B  
with bench



Contura MyCube BG  
with bench, glass door



Contura MyCube W  
wall hung



Contura MyCube WG  
wall hung, glass door



## Contura i1

Contura i1  
4-sided frame



Contura i1  
3-sided frame



## Contura i2

Contura i2  
4-sided frame



Contura i2  
3-sided frame



Contura i2G  
4-sided frame



Contura i2G  
3-sided frame



## Contura i4

Contura i4 Modern  
4-sided frame



Contura i4 Modern  
3-sided frame



## Contura i5

Contura i5, panorama



Contura i5, double door



Contura i5L, panorama  
With short legs



Contura i5L, double door  
With short legs



## Contura i6

Contura i6



Contura i6G



## Contura i7

Contura i7



Contura i7G



## Contura i8

Contura i8  
glass on both sides



Contura i8  
glass on left or right side



Contura i8G  
glass on both sides



Contura i8G  
glass on left or right side



## Contura i8 Cosi

Contura i8 Cosi, low  
glass on both sides



Contura i8, high  
glass on both sides



Contura i8, high  
glass on right side



Contura i8, high  
glass on left side



## Contura i8G Cosi

Contura i8G Cosi, low  
glass on both sides



Contura i8G, high  
glass on both sides



Contura i8G, high  
glass on right side



Contura i8G, high  
glass on left side



## Contura i40

Contura i40  
Insert, left



Contura i40  
Insert, right



## Contura i41

*Inserts are available in both right-hand and left-hand versions.*

Contura i41  
Steel, White



Contura i41  
Steel, Black



Contura i41A  
Artstone, white



Contura i41AN  
Artstone, natural



Contura i41AA  
Artstone, anthracite



Contura i41T  
Soapstone



## Contura i50 / i51

Contura i50  
Insert



Contura i51  
Steel, White



Contura i51  
Steel, Black



Contura i51A  
Artstone, white



Contura i51AN  
Artstone, natural



Contura i51AA  
Artstone, anthracite



Contura i51T  
Soapstone



## Contura i60 / i61

Contura i60  
Insert



Contura i61  
Steel, Black



Contura i61  
Steel, White



Contura i61A  
Artstone, white



Contura i61AN  
Artstone, natural



Contura i61AA  
Artstone, anthracite




Contura i61T  
Soapstone




# Dimension diagrams

Detailed dimensions diagrams for all Contura stoves are here so that you can plan positioning and installation.


110



130



210 / 210G




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.


Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

## 210 / 210G with legs


A = height from floor to chimney connection  
 B = height from floor to C/c smoke outlet rear.  
 C = distance from back to c/c air inlet  
 D = distance from back to rear smoke outlet



## 310 / 320 / 320G




## 330G




## 510 / 510G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




## 520 Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 520T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## 556 / 556G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 556T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch





\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustable walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



## 590T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch





## 596 / 596G / 596T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 510 Connect

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## 556 Connect

- A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 596 Connect

- A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch





\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



## 610 / 610G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch





## 610AG Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 620 Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch





\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustable walls is used.



Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



## 620T Style



## 690 / 690G Style



## 690AG Style



\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

690T Style

[illegible]

810 Style / 810G Style

The technical drawings illustrate the Fire Protection Hood (FPH) in various views and details:

- Front View:** Shows the hood's profile with a total height of 2000 mm. The main body is 465 mm wide and 950 mm high. The base has a width of 192 mm and a depth of 93 mm. The bottom section is 254 mm high.
- Side View:** Shows the hood's side profile with a total height of 2000 mm. The main body is 365 mm wide and 183 mm high. The base has a width of 113 mm and a depth of 93 mm. The bottom section is 254 mm high.
- Detail A:** Shows the hood's connection to the wall, with dimensions A 905\*, B 816\*, and C 270. The air inlet is Ø67.
- Detail B:** Shows the hood's connection to the wall, with dimensions 350, 350, 350, 582, 283, and 100. The wall is labeled "Combustible wall".
- Detail C:** Shows the hood's connection to the wall, with dimensions 700, 50, 233, 1000, 200\*\*, and 432\*\*. The wall is labeled "Fire-retardant wall of brick or concrete".
- Detail D:** Shows the hood's connection to the wall, with dimensions 505, 50, 283, 515, and 50. The wall is labeled "Combustible wall".
- Detail E:** Shows the hood's connection to the wall, with dimensions 505, 50, 283, 515, and 50. The wall is labeled "Fire-retardant wall of brick or concrete".

\*Soapstone top adds 15mm to height.

820T Style / 820TG Style

[illegible]


\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

## 856 Style / 856G Style


A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



\*Soapstone top adds 15mm to height.


## 856T Style / 856TG Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 856W Style / 856WG Style

The minimum safety distance in front of the stove opening to combustable building structures or furnishings must be at least 1.2 m.



\*Soapstone top adds 15mm to height.


\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustable walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

## 870 Style / 870G Style


A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



\*Soapstone top adds 15mm to height.

## 886 Style / 886G Style


A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



\*Soapstone top adds 15mm to height.

## 890 Style / 890G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



\*Soapstone top adds 15mm to height.



\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustable walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



## 890T Style / 890TG Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 896 Style / 896G Style



A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



\*Soapstone top adds 15mm to height.

## 810L Classic

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## 910 / 910G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




## 920T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## 956 / 956G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## 956T Style

A = height from floor to chimney connection  
B = height from floor to c/c smoke outlet rear.  
C = height from floor to supply air opening  
D = height from floor to lower edge of hatch




990 / 990G Style Style

A = height from floor to chimney connection  
B = height from floor to c/c smoke outlet rear.  
C = height from floor to supply air opening  
D = height from floor to lower edge of hatch



## 990T Style

A = height from floor to chimney connection  
B = height from floor to c/c smoke outlet rear.  
C = height from floor to supply air opening  
D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## 996 / 996G Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




## 996T Style

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch



## MyCube / MyCube T

A = height from floor to chimney connection  
 B = height from floor to c/c smoke outlet rear.  
 C = height from floor to supply air opening  
 D = height from floor to lower edge of hatch




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.


Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

A = height from floor to chimney connection  
B = height from floor to c/c smoke outlet rear.  
C = height from floor to supply air opening  
D = height from floor to lower edge of hatch




A = height from floor to chimney connection  
B = height from floor to c/c smoke outlet rear.  
C = height from floor to supply air opening  
D = height from floor to lower edge of hatch




3-sided frame

4-sided frame


Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



#### i4 Modern 3-sided frame



#### i4 Modern 4-sided frame




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


i5



Cast iron leg set (i5L) adds 65mm to the height.


There must be a gap for air to circulate around the insert.  
More information can be found in the installation instructions.

i6



There must be a gap for air to circulate around the insert.  
More information can be found in the installation instructions.


i7




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.


Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



## i8 Cosi, low



## i8 Cosi, high




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.


Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


## i40



## i41



## i50




\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.


Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


i51



i60



i61



\* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply.

Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.



# Maximise the heat with your Contura

The heat tank and hot air damper offer excellent solutions that give more heat for longer.

## Heat tank with Powerstone

Powerstone is a stone with excellent heat retention properties. It provides heat long after the fire has gone out.

The heat tank is available for Contura 590T Style, 596 Style, 596T Style, 600 Style series, 890 Style, 896 Style, i41, i51, and i61 models.




## Adjustable damper

The adjustable damper in some Contura models enables you to regulate the amount of heated air from the stove. Adjustable damper is provided with Contura Style models 590T, 596, 596T, 620, 690, 690AG and 690T. A closed damper gives a long cooling down period. An open damper distributes the heat more quickly, which is good when you want to heat a room up quickly.

## Dual air system regulates heating and cooling

With two efficient heating systems most Contura stoves have a fantastic ability to both control the heat distribution and the cooling down period. The red arrows indicate how cold air is drawn into the rear of the stove, continues through two pipes in the firebox, passes through metal hoses and is distributed into the room at the top of the front side of the stove.

# Contura 500 Style with heat tank







## Powerstone heat tank

Several models in the Contura series are available with a heat tank made of heat retaining powerstone. The tank is located under the cover above the firebox of the stove. The excellent heat retaining properties of the stone give up to four hours longer heat retention.



# Contura 600 Style with heat tank



The tests of the models with a heat storage compartment in the 600 range comprised one kindling and four stokings. The combustion damper was fully open during the kindling and the first three stokings. After the last stoking, the air supply was reduced to just less than half. The cooling-down time is calculated from the last stoking until the outer temperature of the heat storage compartment (measured on the cover) has fallen to 30°. The tests were performed six times on six different days.




# Contura i41 and i51 with heat tank

At Contura, we care about testing function and efficiency. The curves show the heat up of the stone cladding (upper front) as well as the power stone

during six hours of firing. They also show how long it takes until the temperature has dropped to 30°.





# The importance of wood

**Wood is a biofuel** that, when correctly lit, is part of the natural cycle. As a tree grows, it consumes water and carbon dioxide in photosynthesis. This process releases oxygen, which we need to breathe. When the wood is burnt or decomposes it releases the water and the carbon dioxide. The oxygen that is created when the tree grew is also consumed in the process. All this takes place in a cycle, which means that burning wood does not contribute to the greenhouse effect.

**Logs are best** stored in a woodshed with good air circulation. It is important that the wood does not lie on the ground and that it is as airy as possible at the roof and sides. Logs that have been split early in the spring can in the best case be used the following winter. But it is better if the wood can dry for two spring seasons because wood dries best in the spring before the leaves bloom. Damp wood burns poorly, gives off less heat and is worse for the environment. Logs to be burnt should not contain more than 20% moisture content. Kiln dried logs and those branded 'ready to burn' are guaranteed to fulfil this requirement.

**Split logs dry quicker** than unsplit. Birch logs must be split as quickly as possible, otherwise they become hard and difficult to work with. Pine and fir trees are easier to split if they have been allowed to dry a little. The logs should be stored at room temperature for 24 hours before burning.

**Covering the logs** with a tarpaulin for example is not a good idea because the moisture from the ground and the wood cannot then evaporate. Damp wood is more susceptible to rot, which quickly consumes the energy value of the wood.

**Never burn** painted wood, impregnated timber, plywood or similar. It can damage the fireplace and the environment. Oak logs are excellent for burning but it is important to mix them with other wood when burning. Oak contains a lot of energy, but also a lot of tannin which is aggressive to both the stove and masonry.





# Light green for a better environment

Making the stove responsible for part of your heating costs is wise from both an environmental and financial point of view. If you light correctly it is a cheap heating method and kind to the environment. Cosiness is included in the price!

Modern wood firing technology is an environmentally friendly energy form, which does not contribute to the greenhouse effect. Complete combustion of wood produces carbon dioxide, water vapour and ash that can be used as garden fertiliser. Complete combustion also gives better heating economy, which is itself environmentally friendly. But in order for the fire to have the best possible effect and contribute to as clean an environment as possible, it is important to fire correctly. Here are some basic tips. See the instruction films and read more at [contura.eu](http://contura.eu)

## Six hot tips for greener and more efficient firing

1. Replace your old stove with a new one if it is more than ten years old. Modern stoves are up to 90% cleaner and 40% more efficient than their predecessors.
2. Always light using dry wood.
3. Always operate the stove with a good firebox temperature to ensure complete and clean combustion.
4. Make sure that the fire always has enough oxygen.
5. Do not burn more than the manufacturer recommends, which is normally a max 2–3 kg logs/hour.
6. Always let the wood lie indoors for at least one day before burning. "Deep frozen" wood (–20 degrees) means that the heat recovery will be very poor.



# Completely Swedish.

The design and development of Contura stoves takes place in Sweden, as does the assembly of all stove parts. The products are quality controlled before leaving the factory in Markaryd. This gives us full control over the quality in all stages of production. We take care to ensure that Contura products are suitable for the modern home and conditions. We are proud to mark our products Made in Sweden!

## A Smålander that heats Europe

Contura stoves are made by NIBE in Markaryd, in Småland. Conserving resources has always been a matter of course in Småland and that is why our manufacturing is modern, lean and efficient. Quality permeates every level of production in our factory, which is the largest and most modern facility for the manufacture of stoves in Europe. Our products are sold throughout Europe and are appreciated for their timeless design, efficiency and high quality.

# Contura

Contura AB  
Box 134  
SE-285 23 Markaryd  
Sweden

