



**RAIS FIREPLACES
LUXURIOUS DESIGN
& TECHNIQUE**

GAS



GAS FIREPLACE INSERTS • 08 Visio front models
10 Visio corner models • **14** Visio three-sided models
18 Visio tunnel models • **22** Visio room dividers
FREESTANDING GAS FIREPLACES • 29 Nexo Gas
34 Viva L Gas • **42** Q-Tee 2 Gas • **43** Q-Tee 2 C Gas
48 ACCESSORIES • **50** SPECIFICATIONS



ENJOY THE LUXURY OF A FIREPLACE WITH JUST A SINGLE CLICK

With a RAIS gas insert or freestanding gas fireplace, it has never been easier to create a luxurious fireplace vibe and to efficiently warm up your home without splitting, stacking and storing firewood.

With just a few clicks, you can turn the fire on and off, regulate the flames and heat to your personal preferences, and set the gas fireplace to turn on automatically at a preferred time or day.

Utilising the latest technology, we have created the ultimate user experience, making operation of a RAIS gas fireplace easy and convenient for the whole family with the remote control or with an app for your phone or tablet.

The hassle-free operation ensures that you and your family can enjoy the full fireplace experience even on the busiest of days – and even if you only have little free time at home.

Explore our catalogue for more inspiration.



INNOVATIVE HIGH-PERFORMANCE DESIGN

RAIS gas fireplaces are characterised by seamlessly fused form and function, by innovative high-performance design, clean eco-friendly combustion, and efficient heating technology.

To offer the optimum fireplace experience, RAIS fireplaces are equipped with ceramic logs and built-in LED lighting that create an impression of glowing cinders and ensure a true-to-nature flame image.

A gas fireplace is most definitely a flexible option. Install it almost anywhere you like and enjoy the freedom to design the ultimate fireplace experience – without having to compromise.

Installation is hassle-free, and a gas fireplace from RAIS is hooked up to either bottled gas, natural gas, biogas or town gas. No chimney is required, just a ventilation pipe which is easy to install.





BUILT-IN FIREPLACE FOR GAS

– EXCLUSIVE & SPACE-SAVING DESIGN

A built-in gas fireplace is an exclusive, space-saving solution, customised to your interior and to the architecture of your home.

RAIS’s extensive collection of gas fireplaces allows you to choose between various designs and sizes and between models with glass on one, two or three sides.

Your RAIS dealer or architect can help you choose the right model for your home design.

RAIS VISIO 70 F
70/43 F

RAIS VISIO 90 F
90/55 F

RAIS VISIO 100 F
100/43 F

RAIS VISIO 160 F
160/45 F

FRONT MODEL



RAIS VISIO 70 LC
70/43/39 LC

RAIS VISIO 90 LC
90/55/39 LC

RAIS VISIO 100 LC
100/43/39 LC

RAIS VISIO 160 LC
160/45/32 LC

LEFT CORNER MODEL



RAIS VISIO 70 RC
70/43/39 RC

RAIS VISIO 90 RC
90/55/39 RC

RAIS VISIO 100 RC
100/43/39 RC

RAIS VISIO 160 RC
160/45/32 RC

RIGHT CORNER MODELS



RAIS VISIO 70 3S
70/43/39 3S

RAIS VISIO 90 3S
90/55/39 3S

RAIS VISIO 100 3S
100/43/39 3S

RAIS VISIO 160 3S
160/45/32 3S

THREE-SIDED MODELS



RAIS VISIO 70 RD
43/49/65 RD

RAIS VISIO 90 RD
40/55/90 RC

RAIS VISIO 100 RD
43/49/100 RC

ROOM DIVIDER



RAIS VISIO 70 T
43/49/65 T

RAIS VISIO 90 T
40/55/90 T

RAIS VISIO 100 T
43/49/100 T

TUNNEL MODELS



EXCEPTIONAL

DESIGN






RAIS VISIO **FRONT**

DESIGNED FOR PREMIUM INTERIORS

Create an elegant, luxurious vibe with stylish front glass inserts.






RAIS VISIO CORNER

MAXIMUM USE OF SPACE

Make full use of every corner of your home with a corner insert.



OPTIMISE SPACE








FROM EMPTY CORNER TO FUNCTIONAL SPACE

With a RAIS Visio corner model, you can transform a bare corner in your home into an inviting and attractive space that adds life, colour, and functionality to the entire room.

In this beautiful home, an empty corner has been updated and redefined with a Visio 70 RC, adding warmth and cosy comfort to the classy interior.

Outside the home, the gas bottle is discreetly hidden in a sleek, weatherproof black steel cabinet practically designed to match the dimensions of standard gas cylinder.






EXTRAORDINARY VIEW

RAIS VISIO **THREE-SIDED** FOR THE ULTIMATE EXPERIENCE

Choose an insert with glass on three sides, and let the beautiful views of the flames fill the entire room.





EASY

LIVING






EVERYDAY LUXURY FOR AN ACTIVE LIFESTYLE

In this contemporary summer home by the sea, the impressive views of the beach, dunes and ocean face tough competition from the gas fireplace, which serves as the absolute focal point of the attractive living room area.

With its extra wide front glass, the Visio 160 3S gas fireplace insert offers exceptional views of the flames, inviting you to relax in front of the fire and enjoy the good life after spending active days outdoors along the beautiful Danish coast.







DOUBLE VIEW

RAIS VISIO **TUNNEL** ONE INSERT – TWO EXCEPTIONAL SPACES


Create an exclusive open space feel and enjoy the fire in two rooms with just one insert.



RAIS VISIO 70 T



RAIS VISIO 90 T



RAIS VISIO 100 T







IT IS THE DETAILS THAT MATTER

Eating dinner in the dining room, or relaxing on the sofa in the living room? It does not matter. In this home, the tunnel model Visio 90 T connects the two spaces and allows you to enjoy the cosy fireplace ambience in both rooms.

When choosing a fireplace insert, even the smallest details matter and make a significant visual difference. Here the discreet, narrow frame and the convection grate that match the colour of the wall and the width of the fireplace ensure that the Visio 90 T is flawlessly integrated with the stylish home design.











SPACE DIVISION

RAIS VISIO **ROOM DIVIDERS** OPTIMISE SPACE & FUNCTIONALITY

Explore functional and aesthetic options for defining space with RAIS inserts for room division.





DIVIDING & DEFINING SPACES

A RAIS fireplace insert is the perfect choice for creating visual and physical division between different zones in your home.

In this newly renovated patrician villa, the Visio 90 RD has been used to break up the space between the living and dining room areas, making the open space layout feel like two dedicated areas with different functional intentions.

The sleek and modern aesthetic of the insert offers the perfect contrast to the classic design and traditional architectural elegance of the updated villa.







FREESTANDING GAS FIREPLACES

– HEAT EFFICIENCY & SUPERIOR DESIGN

A freestanding gas fireplace from RAIS is not only a design object that takes your home interior to a new level. It offers multiple benefits, including heat efficiency, easy operation, and everyday convenience.

ROUND OR SQUARE



NEXO 100 G



NEXO 120 G



NEXO 140 G



NEXO 160 G



NEXO 185 G

RAIS NEXO G



VIVA L 100 G



VIVA L 120 G



VIVA L 140 G



VIVA L 160 G

RAIS VIVA L G



CARO 90 G



CARO 110 G



CARO 130 G

RAIS CARO G



Q-Tee 2 G
60



Q-Tee 2 G
72 LEGS LOW



Q-Tee 2 G
76 LEGS HIGH



Q-Tee 2 G
88 BASE LOW



Q-Tee 2 G
98 BASE HIGH

RAIS Q-Tee 2 G



Q-Tee 2 C G
60



Q-Tee 2 C G
72 LEGS LOW



Q-Tee 2 C G
76 LEGS HIGH




Q-Tee 2 C G
88 BASE LOW



Q-Tee 2 C G
98 BASE HIGH

RAIS Q-Tee 2C G





MAXIMISE YOUR FIREPLACE EXPERIENCE

Explore all your design options with the RAIS Customizer to find your personal favourite and maximise your stove experience. Choose between multiple heights, colours and other design features.

You will find the Customizer at www.rais.com.





RAIS **NEXO G**

The ultimate fusion of simplicity and function with unrivalled views of the flames.
Choose between various heights and colours.







SUPERIOR

PERFORMANCE & QUALITY

Cubic simplicity and stylish design in combination with premium quality and performance.

DECORATE WITH FIRE IN COMMERCIAL SPACES

RAIS gas fireplaces are the ultimate choice for the hospitality sector and for architects and interior designers seeking to create exclusive guest experiences in hotels or restaurants. Integrate a RAIS gas fireplace in the lobby, lounge, restaurant, or reception area of a hotel to create the ultimate feeling of a home away from home.

Here a Viva L 160 G and a Viva 120 G have been chosen for a restaurant and a hotel lounge, respectively to create a warm, welcoming atmosphere and a cozy home-like feel. In both settings, the fireplace serves as an attractive visual backdrop and as a unique focal point that makes guests want to stay just a little longer.





SIMPLICITY

PURE & SIMPLE



With its sleek, modern aesthetic and expansive view of the flames, RAIS Viva L brings class to all contemporary interiors.





CHOOSE
YOUR PERSONAL STYLE



From Staffordshire (UK) home





MODERN MINIMALISM



Compact design ideal for smaller spaces, offering impressive flame view and multiple customisation options.





INNOVATION FOR MODERN ARCHITECTURE

The minimalist, cubic design of RAIS Q-Tee 2 G is the perfect match for this newbuild and ultra-modern townhouse on the northern outskirts of London.

With its large glass door and beautiful view of the flames, the free-standing gas fireplace is the central highlight of the living space on the ground floor, bringing a cosy and inviting feel to the modern space and décor.

Fuelled by gas, the RAIS Q-Tee 2 G offers easy and convenient operation and is the perfect choice for a modern home and busy family life.





Minimalist, cubic design with large glass door for an optimal view of the fire.



STYLE ICON

With its timeless design and excellent functionality, RAIS Q-Tee 2 C G is an investment for the future.





CONVENIENT SMART HOME TECHNOLOGY

Building a brand-new house gives you the opportunity to choose the very best from the beginning. In this stunning new home, every detail has been carefully considered, and no compromises have been made when it comes to design and smart home technology.

Made for the smart homes of the future, the Visio 70 RD dividing the living and dining room areas is not only distinguished by its attractive design, but also by its intelligent operation. With the RAISfire app you can operate the fireplace with your phone, switching the fire on and off, and setting the heating to your desired level. It is easy, efficient, and convenient, and all you need to get started is your phone and the RAIS Wi-Fi module.





INDIVIDUAL DESIGN & DETAILS

You now have the option to choose the same colour for your flue pipe so that it matches the gas fireplace, with all of RAIS' six shades available for the pipes.
You also have the option of stainless steel pipes.

Having the pipe connection in the same colour as the fireplace itself creates a particularly elegant all-round solution, with joints almost invisible on the pipes.





CLEAN CONSCIENCE COMBUSTION


You can enjoy your RAIS gas fireplace with a clean conscience and rest assured that it does not have a negative impact on nature and your surrounding environment. A gas fireplace releases next to no residual particles and far less CO₂ than oil and coal fires.





GEAR & TECHNOLOGY


At RAIS, we are uncompromising when it comes to refining even the smallest of details, and we offer an exclusive range of optional design features, gear, and technological solutions that allow you to create the perfect gas fireplace for your home.



1. Frame in black or stainless steel | 2. Anti-reflective glass | 3. True-to-nature firewood | 4. WiFi module.



Meeting all your design and functionality requirements, the features include frames, flue pipes, and convection grates in different colours, LED lighting, and an internal reflective glass wall for an extra impressive flame image.



5. Remote control is included | 6. Inspection grate in black or white | 7. Ceramic logs | 8. LED lighting

SPECIFICATIONS

RAIS VISIO 70 F


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas – G20 I2H/I2E 7,6 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 86 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 90 F


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,3 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 100 F


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,3 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 160 F


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas – G20 I2H/I2E 13,2 kW
Output: Propane gas – G30/G31-I3B/P(30) 16,7/14,6 kW
Eco label: Natural gas A
Eco label: Propane gas A

WEIGHT 149 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

SPECIFICATIONS

RAIS VISIO 70 LC


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas — G20 I2H/I2E 7,6 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 86 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 90 LC


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas — G20 I2H/I2E 8,3 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 100 LC


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas — G20 I2H/I2E 8,3 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 150 mm



Without frame



With frame

RAIS VISIO 160 LC


TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm


KEY FIGURES
Output: Natural gas — G20 I2H/I2E 13,2 kW
Output: Propane gas — G30/G31-I3B/P(30) 16,7/14,6 kW
Eco label: Natural gas A
Eco label: Propane gas A

WEIGHT 149 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

SPECIFICATIONS

RAIS VISIO 70 RC

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas – G20 I2H/I2E 7,6 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 86 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 90 RC

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas – G20 I2H/I2E 8,3 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 100 RC

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas – G20 I2H/I2E 8,3 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 160 RC

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas – G20 I2H/I2E 13,2 kW
Output: Propane gas – G30/G31-I3B/P(30) 16,7/14,6 kW
Eco label: Natural gas A
Eco label: Propane gas A

WEIGHT 149 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

SPECIFICATIONS

RAIS VISIO 70 3S

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas — G20 I2H/I2E 7,6 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 86 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 90 3S

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas — G20 I2H/I2E 8,3 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 100 3S

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas — G20 I2H/I2E 8,3 kW
Output: Propane gas — G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas — G150 - 8-10mbar 4,4/5,3 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 106 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

RAIS VISIO 160 3S

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES


Output: Natural gas — G20 I2H/I2E 13,2 kW
Output: Propane gas — G30/G31-I3B/P(30) 16,7/14,6 kW
Eco label: Natural gas A
Eco label: Propane gas A

WEIGHT 149 kg

DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame

SPECIFICATIONS


RAIS VISIO 70 RD

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,5 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,8/5,7 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 107 kg
DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame


RAIS VISIO 90 RD

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,5 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,8/5,7 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 118 kg
DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame


RAIS VISIO 100 RD

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,5 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,8/5,7 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 117 kg
DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame



With frame


RAIS VISIO 70 T

TECHNICAL DATA:


DIMENSIONS (W-D-H) - See drawing
Flue outlet (diameter) Ø130 / Ø200 mm

KEY FIGURES
Output: Natural gas – G20 I2H/I2E 8,5 kW
Output: Propane gas – G30/G31-I3B/P(30) 9,4/7,9 kW
Output: Town gas – G150 - 8-10mbar 4,8/5,7 kW
Eco label: Natural gas A
Eco label: Propane gas A
Eco label: Town gas B

WEIGHT 107 kg
DISTANCE to flammable material
To ceiling 1000 mm
To floor 300 mm



Without frame




With frame

SPECIFICATIONS

RAIS VISIO 90 T

TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing		
Flue outlet (diameter)	Ø130 / Ø200	mm
KEY FIGURES		
Output: Natural gas – G20 I2H/I2E	8,5	kW
Output: Propane gas – G30/G31-I3B/P(30)	9,4/7,9	kW
Output: Town gas – G150 - 8-10mbar	4,8/5,7	kW
Eco label: Natural gas	A	
Eco label: Propane gas	A	
Eco label: Town gas	B	
WEIGHT		
	118	kg
DISTANCE to flammable material		
To ceiling	1000	mm
To floor	300	mm




Without frame

With frame

RAIS VISIO 100 T

TECHNICAL DATA:

DIMENSIONS (W-D-H) - See drawing		
Flue outlet (diameter)	Ø130 / Ø200	mm
KEY FIGURES		
Output: Natural gas – G20 I2H/I2E	8,5	kW
Output: Propane gas – G30/G31-I3B/P(30)	9,4/7,9	kW
Output: Town gas – G150 - 8-10mbar	4,8/5,7	kW
Eco label: Natural gas	A	
Eco label: Propane gas	A	
Eco label: Town gas	B	
WEIGHT		
	117	kg
DISTANCE to flammable material		
To ceiling	1000	mm
To floor	300	mm



Without frame

With frame



RAIS VIVA L G

TECHNICAL DATA:

DIMENSIONS (W-D-H)			
Gas fireplace's external dimensions	See drawing		
Flue outlet (diameter)	Ø100 / Ø150	mm	
KEY FIGURES			
Output: Natural gas – G20 I2H/I2E	6,3	kW	With sideglass
Output: Propane gas – G30/G31-I3B/P(30)	5,7/5	kW	
Output: Town gas – 150 - 8-15 mbar	6,7/9,2	kW	
Eco label:	A		
WEIGHT	109/114/126/133	kg	

Without sideglass

VIVA L 100 G

VIVA L 120 G

VIVA L 140 G

VIVA L 160 G



RAIS NEXO G

TECHNICAL DATA:

DIMENSIONS (W-D-H)

Gas fireplace's external dimensions	See drawing
Flue outlet (diameter)	Ø100 / Ø150 mm

KEY FIGURES

Output: Natural gas – G20 I2H/I2E	6,3 kW	
Output: Propane gas – G30/G31-I3B/P(30)	5,7/5 kW	
Output: Town gas – 150 - 8-15 mbar	6,7/9,2 kW	With sideglass

Eco label:

A

WEIGHT	120/132/147/157/171 kg
--------	------------------------



NEXO 120 G

NEXO 140 G

NEXO 160 G

NEXO 185 G

NEXO 100 G

RAIS CARO G


TECHNICAL DATA:

DIMENSIONS (W-D-H)		
Gas fireplace's external dimensions	See drawing	
Flue outlet (diameter)	Ø100 / Ø150	mm

KEY FIGURES		
Output: Natural gas – G20 I2H/I2E	6,3	kW
Output: Propane gas – G30/G31-I3B/P(30)	5,7/5	kW
Output: Town gas – 150 - 8-15 mbar	6,7/9,2	kW
With sideglass		

Eco label: 

WEIGH	110/134/148	kg
-------	-------------	----



CARO 90 G

CARO 110 G

CARO 130 G

RAIS Q-TEE 2 G

TECHNICAL DATA:

DIMENSIONS (W-D-H)		
Gas fireplace's external dimensions	See drawing	
Flue outlet (diameter)	Ø100 / Ø150	mm

KEY FIGURES		
Output: Natural gas – G20 I2H/I2E	6,3	kW
Output: Propane gas – G30/G31-I3B/P(30)	5,7/5	kW
Output: Town gas – 150 - 8-15 mbar	6,7/9,2	kW

Eco label 

WEIGHT	96/101/102/119/122	kg
--------	--------------------	----

RAIS Q-TEE 2 C G

TECHNICAL DATA:

DIMENSIONS (W-D-H)	
Gas fireplace's external dimensions	See drawing
Flue outlet (diameter)	Ø100 / Ø150 mm

KEY FIGURES	
Output: Natural gas – G20 I2H/I2E	6,3 kW
Output: Propane gas – G30/G31-I3B/P(30)	5,7/5 kW
Output: Town gas – 150 - 8-15 mbar	6,7/9,2 kW

Eco label:



WEIGHT	103/109/109/132/137 kg
--------	------------------------



