

WILDFIRE

SPREADING INNOVATION

GAS & ELECTRIC APPLIANCES 2025/26

Exquisite fires for elegant homes


Contents

All about Wildfire.....4-5

Gas Fires

Some things you need to know.....6-7

Function and Performance.....8-9



Ravel 1500 Media Suite (Balanced Flue).....10-11
for homes with no flue

Ravel 1720 Media Suite (Balanced Flue).....12-13
for homes with no flue

Ravel 750 (Asti 750 Suite) Limestone.....14-15
for standard flues

Ravel 750 (Valentia Suite) Micro Marble.....16-17
for standard flues

Ravel 800 (Asti 800 Suite) Limestone.....18-19
for standard flues

Ravel 800 (Siena Suite) Micro Marble.....20-21
for standard flues

Ravel 800 (HIW).....22-23
for standard flues

Ravel 800BF (Asti BF 800 Suite) Limestone.....24-25
for standard flues

Ravel 600 (Asti 600 Suite) Limestone.....26-27
for standard flues

Ravel 600 (Amalfi Suite) Micro Marble.....28-29
for standard flues

Ravel 600 (HIW).....30-31
for standard flues

Ravel 600BF (Asti BF 800 Suite) Limestone.....32-33
for standard flues

Ravel 550 (Emelia Suite) Micro Marble.....34-35
for standard flues

Ravel 550 HE Inset Stove (Emelia Suite).....36-37
for standard flues

Ravel 400 HE (Salvador Suite).....38-41
for standard flues

Ravel 400 Inset Stove (Salvador Suite).....42-43
for standard flues

Ravel 400 HE (HIW).....44-45
for standard flues

Ravel 400 HE (Balanced Flue).....46-47
for homes with no flue

Ravel 400C Gas Stove.....48-49
for standard flues

Ravel 400T Gas Stove
(Asti 750 Chamber Suite).....50-51
for standard flues

Ravel 400 BF Gas Stoves.....52-53
for homes with no flue



BF96OSL (Balanced Flue).....54-55
for homes with no flue

Thermes (Balanced Flue).....56-57
for homes with no flue

Ellipsis (HIW / Hearth Mount).....58-59
A range of options featuring the Ellipsis trim


HE950L (Asti Suite).....60-61
for standard and precast flues

HE950L (Seville Suite).....62-63
for standard and precast flues

HE900 (Avellino Suite).....64-65
for standard and precast flues

Cressida HE.....66-67
for standard flues

Pesaro HE Slimline.....68-69
for standard and precast flues



Cavello XE.....70-71
*Full Depth Convector Open Fronted
for standard flues*

Montese (Cadiz Suite).....72-73
*Radiant full Depth Open Fronted for
standard and precast flues*

Ceralis (Salerno suite).....74-75
Radiant Open Fronted for standard & precast flues



Trim Options.....76
Choose a trim for your Gas Fire

Technical information
for all gas appliances.....77

Electric Fires

Some things you need to know.....78-79



HE 900E (Avellino Suite).....80-81
for Flat Wall installation

HE 950LE (Seville Suite).....82-83
for Flat Wall installation

Ravel 400e inset (Black Nickel / Chrome) .84-85

Ravel 400e inset (Anthracite).....86-87

Ravel 400e (inset Stove).....88-89

Ravel 400C e (Electric Stove).....90-91

Ravel 400T e (Electric Stove).....92-93



Trim Options.....94
Choose a trim for your Electric Fire

Fireplace dimensions for
Electric Fireplace Suites.....95

Exquisite fires for elegant homes

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.



Wildfire are a multi award winning gas and electric appliance manufacturer.

The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the Hearth and Home exhibition.

New for the 2025/2026 season are the impressive Ravel 400e electric fires and the Ravel 400C/400T electric stove. Contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance.

With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe, Australia and North America.

See full details of our product range at either www.wildfiregas.co.uk or www.wildfireelectric.co.uk



HE950L Seville Suite



Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive to buy.

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.




We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.



What type of flue do I have?



Brick Chimney



Pre-Fabricated



Pre-Cast



Balanced Flue

You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.



What control options are available?



Manual Control



Slide Control



Manual Electronic Control

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide control provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire have now introduced electronic ignition on the majority of the manual control range. All slide control & manual electronic control products are powered by a single AA or AAA battery. No mains power is required.

What type of gas do I need?



Natural Gas



Propane

Wildfire appliances are all available in natural gas.

Wildfire products available in LPG:
Ravel 400 (CF)
Ravel Stove 400C (CF)
Ravel Stove 400T (CF)
Ravel 600 (CF)
Ravel 800 (CF)
Ravel 750 (CF)

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.

F.S.D

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.



The Wildfire range is proud to now include a range of glass fronted high efficiency gas fires. These products feature the latest technology in high output gas fires and deliver the most effective way of heating your living room. The range includes both mid-depth convector and full depth convector products, both available with Direct Slide Technology. The Ravel 400 appliance can also be installed into a hole in the wall by fitting the 4 sided HIW trim (see pages 44 and 45) and with inset stove trim (see pages 42 and 43). The balanced flue gas fires are a high efficient appliance solution for homes with no chimney, the Thermes & Ravel 400 BF deliver heat, value for money, efficiency and are available with a large range of trim options.



Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to ‘tune’ the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.



Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.



RAVEL 1500 Media Wall

Balanced Flue



HE

FLUE OPTION



Balanced
Flue

CONTROL



Slide

FUEL BED



Log

FUEL



Natural
Gas

WATCH VIDEO



Scan QR Code

GAS CONSUMPTION



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)




Heat Output
(Low)

75% EFFICIENCY

See page 77 for energy efficiency class

DIMENSIONS



- A) 1591mm
- B) 677mm
- C) 1538mm
- D) 650mm
- E) 1473mm
- F) 407mm
- G) 27-60mm
- H) 120mm
- I) 703mm
- J) 13mm
- K) 498mm
- L) 355mm
- M) 339mm
- N) Ø116mm
- O) 253mm
- P) Ø230mm
- Q) 535mm
- R) 521-766mm
- S) 1623mm
- T) 825mm
- U) 260mm

TRIM DIMENSIONS



- A) 1481mm
- B) 415mm

The Ravel 1500 MW fire provides an astonishing solution for a gas media wall.

This balanced flue appliance will provide the heart to your media wall. With impressive heat and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel Media Wall fire is a powerhouse of heat.



RAVEL 1720 Media Wall

Balanced Flue

HE

FLUE OPTION



Balanced
Flue

CONTROL



Slide

FUEL BED



Log

FUEL



Natural
Gas


WATCH VIDEO



Scan QR Code

GAS CONSUMPTION

75% EFFICIENCY




Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)





Heat Output
(Low)

See page 77 for energy efficiency class

The Ravel 1720 MW fire provides a wider version of the 1500MW suitable for the larger sized TV.

This balanced flue appliance will provide the heart to your media wall. With a massive heat output and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel 1720 Media Wall fire is a powerhouse of heat combined with ultra realism.

DIMENSIONS



A) 1831mm	G) 27-60mm	M) 339mm	S) 1623mm
B) 667mm	H) 120mm	N) Ø116mm	T) 1711mm
C) 1538mm	I) 703mm	O) 253mm	U) 104mm
D) 650mm	J) 13mm	P) Ø230mm	V) 825mm
E) 1711mm	K) 498mm	Q) 535mm	W) 260mm
F) 407mm	L) 355mm	R) 521-766mm	

TRIM DIMENSIONS



A) 1721mm
B) 415mm

LINEAR VENT DIMENSIONS




A) 1450mm	D) 98mm	G) 38mm	J) 182mm
B) 70mm	E) 124mm	H) 11.5-16.5mm	
C) 1772mm	F) Ø116mm	I) 1627.5mm	

RAVEL 750

(Asti 750 Suite) Limestone


HE

Ravel 750 Edge trim, installed into the Asti 750 Limestone Suite. Inset: Ravel 750 shown with standard (wide) trim.




Dimensions

EDGE




A) 748mm
B) 711mm
C) 18-32mm
D) 280mm
E) 736mm
F) 747mm

STANDARD



A) 807mm
B) 770mm
C) 10mm
D) 280mm
E) 736mm
F) 747mm

MANTEL DIMENSIONS



EDGE TRIM

G) 702mm
H) 740mm
I) 70mm

STANDARD TRIM

G) 741mm
H) 756mm
I) 40mm

A) 1300mm
B) 1120mm
C) 1280mm
D) 60mm

E) 820mm
F) 840mm
J) 160mm
K) 45mm

L) 100mm
M) 380mm

Note: No ventilation required

The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

RAVEL 750

(Valentia Suite) Micro Marble

HE

Ravel 750 Edge trim, installed into the Valentia Marble Suite. Inset: Ravel 750 shown with standard (wide) trim.



CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

FLUE OPTIONS



Brick Chimney




Pre-Fabricated

WATCH VIDEO



Scan QR Code

NATURAL GAS



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)

82.4% EFFICIENCY

See page 77 for energy efficiency class

LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)





Heat Output (Low)

83.5% EFFICIENCY



Dimensions

EDGE





A) 748mm
B) 711mm
C) 18-32mm
D) 280mm
E) 736mm
F) 747mm

STANDARD



A) 807mm
B) 770mm
C) 10mm
D) 280mm
E) 736mm
F) 747mm

MANTEL DIMENSIONS



A) 1370mm
B) 1150mm
C) 1370mm
D) 65mm
E) 874mm
F) 928mm
G) 702mm
H) 740mm
I) 65mm
J) 170mm
K) 50mm
L) 100mm
M) 300mm

Note: The Valentia marble suite is only available to suit the Edge style trim as shown.

Note: No ventilation required

The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

RAVEL 800

(Asti 800 Suite) Limestone

HE

Ravel 800 Edge trim, installed into the Asti Limestone Suite. (Standard trim shown inset).



CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

FLUE OPTIONS



Brick Chimney




Pre-Fabricated

WATCH VIDEO



Scan QR Code


NATURAL GAS



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)

82% EFFICIENCY

See page 77 for energy efficiency class


LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)





Heat Output (Low)

82% EFFICIENCY



Dimensions

EDGE





A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

STANDARD



A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

MANTEL DIMENSIONS



A) 1307mm
B) 864mm
C) 1307mm
D) 60mm

E) 594mm
F) 927mm
J) 140mm
K) 50mm

L) 155mm
M) 300mm

EDGE TRIM

G) 406-408mm
H) 790-792mm
I) 124mm

STANDARD TRIM

G) 444-446mm
H) 806-808mm
I) 95mm

The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

RAVEL 800

(Siena Suite) Micro Marble



Ravel 800 Edge trim, installed into the Siena Marble Suite (Standard trim shown inset).

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



LPG Propane

FLUE OPTIONS



Brick Chimney




Pre-Fabricated

WATCH VIDEO




Scan QR Code

NATURAL GAS



Heat Input (High)



Heat Input (Low)




Heat Output (High)




Heat Output (Low)


LPG




Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)



82% EFFICIENCY

See page 77 for energy efficiency class

82% EFFICIENCY



Dimensions

EDGE





A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

STANDARD



A) 857mm
B) 474mm
C) 10mm
D) 278mm
E) 439mm
F) 797mm

MANTEL DIMENSIONS



A) 1370mm
B) 875mm
C) 1370mm
D) 65mm

E) 614mm
F) 928mm
J) 145mm
K) 50mm

L) 155mm
M) 300mm

EDGE TRIM

G) 406-408mm
H) 790-792mm
I) 119mm

STANDARD TRIM

G) 444-446mm
H) 806-808mm
I) 90mm

The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here in the Siena Micro marble surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

RAVEL 800 | HIW



HE

Ravel 800 Installed as 'Hole in the wall' with Edge trim, (Standard wider trim shown inset).



CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

FLUE OPTIONS



Brick Chimney




Pre-Fabricated

WATCH VIDEO



Scan QR Code


NATURAL GAS



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)


82% EFFICIENCY

See page 77 for energy efficiency class


LPG




Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)

82% EFFICIENCY

Dimensions

EDGE




A) 798mm
B) 415mm

C) 18-32mm
D) 278mm

E) 439mm
F) 797mm

STANDARD



A) 857mm
B) 474mm

C) 10mm
D) 278mm

E) 439mm
F) 797mm

The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

RAVEL 800BF

(Asti BF 800 Suite) Limestone

HE

Ravel 800 BF
with edge trim
shown in Asti BF
Limestone Suite.

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas

FLUE OPTIONS



Balanced Flue

WATCH VIDEO



Scan QR Code

GAS CONSUMPTION

80% EFFICIENCY



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)



Heat Output
(Low)

See page 77 for energy efficiency class

Dimensions


EDGE




A) 798mm
B) 415mm
C) 18-32mm
D) 294mm

E) 480mm
F) 797mm
G) 370-660mm
H) 211mm

I) 520mm
J) Ø151mm
K) 380mm




MANTEL DIMENSIONS



A) 1307mm
B) 875mm
C) 1370mm
D) 60mm
E) 614mm

F) 928mm
J) 225mm
K) 155mm
L) 105mm
M) 340mm

G) 406-408mm
H) 790-792mm
I) 119mm



Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

The Ravel 800 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 800 (conventional flue).

The Ravel 800BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 800BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).

RAVEL 600

(Asti 600 Suite) Limestone



Ravel 600 Edge trim, installed into the Asti 600 Limestone Suite.

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

WATCH VIDEO



Scan QR Code

FLUE OPTIONS




Brick Chimney




Pre-Fabricated


GAS CONSUMPTION - NATURAL




Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)


83% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)





Heat Output (Low)

86% EFFICIENCY

Dimensions

EDGE





A) 598mm
B) 598mm

C) 18-32mm
D) 280mm

E) 665mm
F) 597mm

EDGE TRIM ONLY



A) 1210mm
B) 1032mm
C) 1220mm
D) 60mm
E) 742mm

F) 780mm
G) 590mm
H) 588mm
I) 72mm
J) 145mm

K) 45mm
L) 60mm
M) 380mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.

The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.



RAVEL 600

(Amalfi Suite) Micro marble



Ravel 600 Edge trim, installed into the Amalfi 600 micro marble Suite

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

GAS CONSUMPTION - NATURAL

6.8kW

Heat Input (High)

4.7kW

Heat Input (Low)

5.1kW

Heat Output (High)

3.3kW

Heat Output (Low)

83% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG

6.7kW

Heat Input (High)

4.4kW

Heat Input (Low)

5.3kW

Heat Output (High)

3.1kW

Heat Output (Low)

86% EFFICIENCY



The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.



Dimensions

EDGE TRIM



- A) 598mm
B) 598mm
C) 18-32mm
D) 280mm
E) 665mm
F) 597mm

MANTEL FINISH



- A) 1270mm
B) 1080mm
C) 1270mm
D) 65mm
E) 765mm
F) 873mm
G) 590mm
H) 590mm
I) 72mm
J) 170mm
K) 50mm
L) 65mm
M) 300mm

Note: The Amalfi marble suite is only available to suit the Edge style trim as shown.

RAVEL 600 | HIW



HE

Ravel 600 Edge trim, installed as HIW.
Inset: Ravel 600 shown with standard (wide) trim.



CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

WATCH VIDEO



Scan QR Code

FLUE OPTIONS



Brick Chimney




Pre-Fabricated

GAS CONSUMPTION - NATURAL



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)


83% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)

86% EFFICIENCY

Dimensions

EDGE



A) 598mm
B) 598mm
C) 18-32mm
D) 280mm
E) 665mm
F) 597mm

STANDARD



A) 747mm
B) 747mm
C) 10mm
D) 280mm
E) 665mm
F) 597mm

The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

RAVEL 600BF

(Asti BF 600 Suite) Limestone

HE

Ravel 600 BF with edge trim
shown in Asti BF Limestone Suite.

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas

FLUE OPTIONS



Balanced Flue


WATCH VIDEO




Scan QR Code

GAS CONSUMPTION

76% EFFICIENCY



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)



Heat Output
(Low)

See page 77 for energy efficiency class



The Ravel 600 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 600 (conventional flue).

The Ravel 600BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 600BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).



Dimensions

EDGE



A) 598mm
B) 598mm
C) 18-32mm
D) 294mm
E) 662mm
F) 597mm
G) 370-660mm
H) 211mm
I) 520mm
J) Ø151mm
K) 563mm

MANTEL DIMENSIONS



A) 1210mm
B) 1032mm
C) 1220mm
D) 60mm
E) 742mm
F) 780mm
G) 590mm
H) 588mm
I) 72mm
J) 255mm
K) 155mm
L) 60mm
M) 380mm

Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

RAVEL 550 HE

(Emelia Suite) Micro marble

HE

Ravel 550 HE shown with Contemporary Black Nickel/Black trim, Installed into the Emelia suite in white.

This fire requires a fireplace suite with a 3" rebate and a back panel opening of a specific size. Talk to your retailer for full details.

FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



Slide

CONTROL

FUEL BED




Log

FUEL




Natural
Gas


RAVEL 550 HE TRIM OPTIONS




Brass/
Black




Satin/
Black



Chrome/
Black



Bl.Nickel/
Black



Anthracite

SLIDE LEVER OPTIONS



Brass



Chrome




Black
Nickel




Black

GAS CONSUMPTION




Heat Input
(High)



Heat Input
(Low)




Heat Output
(High)



Heat Output
(Low)

85% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS



White



*Grey


WATCH VIDEO



Scan QR Code


See page 77 for energy efficiency class

DIMENSIONS



- A) 614mm Trim Width
- B) 611mm Trim Height
- C) 560mm-580mm Back Panel Opening Width
- D) 585mm-600mm Back Panel Opening Height
- E) 76mm Mantel Rebate
- F) 406mm Fire Width at Builders Opening
- G) 565mm Fire Height at Builders Opening
- H) 117mm Fire Depth into Builders Opening

MANTEL DIMENSIONS



- A) 1320mm
- B) 1115mm
- C) 1320mm
- D) 560-580mm
- E) 585-600mm
- F) 200mm
- G) 400mm
- H) 75mm
- I) 60mm

The Ravel 550 log fire is a revolutionary product.

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney builders opening. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned of independently to keep the flame picture alive when running on low.

This installation requires a back panel with specific opening sizes and a 75mm rebate. Normally an appliance of this stature would require building work and installation of a lintel. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.



RAVEL 550 HE Inset Stove

(Emelia Suite)

HE

Ravel 550 HE shown installed into the Emelia suite in white.

FLUE OPTIONS



Brick Chimney



Pre-Fabricated



Slide

FUEL BED



Log

FUEL



Natural Gas

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

SLIDE LEVER OPTIONS



Chrome




Black

WATCH VIDEO



Scan QR Code

GAS CONSUMPTION



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

85% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS





White



*Grey

See page 77 for energy efficiency class

DIMENSIONS




A) 660mm
B) 635mm
C) 144mm

D) 689mm
E) 120mm
F) 403mm

G) 559mm
H) 152mm

MANTEL DIMENSIONS



A) 1320mm
B) 1115mm
C) 1320mm
D) 405mm
E) 570mm
F) 200mm
G) 400mm
H) 75mm
I) 60mm

The Ravel 550 log fire is a revolutionary product.

The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low.

This 22" appliance installs into any standard 16" x 22" back panel and is shrouded with an aluminium high definition stove trim, so it's a perfect upgrade from your old 16" fire without changing the fireplace. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

RAVEL 400 HE

(Salvador Suite)

HE

Ravel HE Log shown with Black Nickel / Chrome trim, installed into the Salvador White Suite

FLUE OPTIONS



Brick Chimney



Pre-Fabricated

CONTROL



Slide

FUEL BED



Log

FUEL




Natural Gas




Propane

RAVEL TRIM OPTIONS



Bl.Nickel/Chrome



Anthracite

SLIDE LEVER OPTIONS




Chrome



Black Nickel



Black



Ezi-Grip

MANTEL FINISH

White

GAS CONSUMPTION

83% EFFICIENCY

NATURAL



Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)


GAS CONSUMPTION

83% EFFICIENCY

LPG




Heat Input (High)



Heat Input (Low)




Heat Output (High)



Heat Output (Low)

See page 77 for energy efficiency class


DIMENSIONS



A) 512mm
B) 403mm
C) 610mm
D) 555mm

E) 197mm
F) 186mm
G) 502mm

MANTEL DIMENSIONS



A) 1370mm
B) 1370mm
C) 1160mm
D) 400mm

E) 230mm
F) 512mm
G) 610mm

The Ravel 400 HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version. Also available as 4 sided HIW. See page 44.

RAVEL 400 HE

(Salvador Suite)

HE

Ravel HE Log shown with Anthracite trim,
installed into the Salvador White Suite

FLUE OPTIONS

Brick Chimney Pre-Fabricated

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas LPG Propane

RAVEL TRIM OPTIONS

Bl.Nickel/Chrome Anthracite

SLIDE LEVER OPTIONS

Chrome Black Nickel Black Ezi-Grip


MANTEL FINISH

White

GAS CONSUMPTION

83% EFFICIENCY


NATURAL



GAS CONSUMPTION


83% EFFICIENCY

LPG




See page 77 for energy efficiency class

DIMENSIONS



A) 512mm
B) 403mm
C) 610mm
D) 555mm
E) 197mm
F) 186mm
G) 502mm

MANTEL DIMENSIONS



A) 1370mm
B) 1370mm
C) 1160mm
D) 400mm
E) 230mm
F) 512mm
G) 610mm

The Ravel 400 HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Anthracite or Black Nickel and Chrome version.
Also available as 4 sided HIW. See page 44.

RAVEL 400 Inset Stove

(Salvador Suite)



Ravel HE Inset Stove shown installed into the Salvador Suite (white).

FLUE OPTIONS



Brick Chimney



Pre-Fabricated



Nat gas only
Balanced Flue

See page 45 for
appliance dims

CONTROL



Slide

FUEL BED



Log

FUEL




Natural Gas




Propane

STOVE HANDLE OPTIONS




Satin



Black

Note: Satin handle is
supplied as standard.
Black handle is an
optional extra.

SLIDE LEVER OPTIONS




Chrome



Black
Nickel



Black



Ezi-Grip


GAS CONSUMPTION

83% EFFICIENCY


NATURAL



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)




Heat Output
(Low)

GAS CONSUMPTION

83% EFFICIENCY

LPG



Heat Input
(High)



Heat Input
(Low)




Heat Output
(High)



Heat Output
(Low)

See page 77 for energy efficiency class

DIMENSIONS



A) 560mm F) 97mm
B) 630mm G) 65mm
C) 584mm H) 198mm
D) 557mm I) 70mm
E) 186mm J) 502mm

*Note: For mantel details
see page 39.

The Ravel 400 can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.



RAVEL 400 HE (HIW)

HE

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- LPG Propane

RAVEL TRIM OPTIONS

- Bl.Nickel/Chrome
- Anthracite


SLIDE LEVER OPTIONS

- Chrome
- Black Nickel
- Black
- Ezi-Grip

GAS CONSUMPTION

83% EFFICIENCY


NATURAL



GAS CONSUMPTION



83% EFFICIENCY

LPG



See page 77 for energy efficiency class

DIMENSIONS



- A) 510mm
- B) 665mm
- C) 556mm
- D) 186mm
- E) 33mm
- F) 198mm
- G) 502mm

The Ravel 400 can now also be supplied as a slide control hole in the wall product.

The extremely successful black nickel and chrome frame has been used to create this four sided design, allowing a space saving and economical solution for your living room. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

RAVEL 400 HE

Balanced Flue

HE

Ravel 400 BF shown with Black Nickel / Chrome trim. Featuring Salvador micromarble fireplace in white (see page 39 for details)

FLUE OPTIONS



Balanced Flue

CONTROL



Slide

FUEL BED




Log

FUEL




Natural Gas


RAVEL TRIM OPTIONS



Bl.Nickel/Chrome



Anthracite



Inset Stove
(see page 40)



HIW
(see page 42)

SLIDE LEVER OPTIONS




Chrome



Black Nickel



Black



Ezi-Grip

GAS CONSUMPTION



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)



Heat Output
(Low)

83% EFFICIENCY



STANDARD MANTEL FINISH OPTIONS



White

See page 77 for energy efficiency class

DIMENSIONS



- A) 510mm
- B) 394mm
- C) 611mm
- D) 553mm
- E) 197mm
- F) 290-580mm
- F*) 290-780mm
- G) Ø152mm
- H) 400mm
- I) 206mm
- J) 463.5mm

Note: F dimensions apply to optional longer flue kit (F-181XX2TKS)

The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 44, or as an inset stove—see page 42. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.



HE

Ravel Gas Stove shown inset with black handle and control lever. Available as optional extras.

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

WATCH VIDEO



Scan QR Code

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

FLUE OPTIONS



Brick Chimney




Pre-Fabricated



Pre-Cast*

GAS CONSUMPTION - NATURAL




Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

82% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

84% EFFICIENCY

DIMENSIONS



- A) 464mm
- B) 584mm
- C) 127mm
- D) 502mm
- E) 100mm
- F) 289mm
- G) 315mm
- H) 67mm
- I) 515mm

*Precast flue/Rear vent kit is ordered separately.

Note: The Ravel 400C is now also available in Balanced Flue. See pages 52-53

The Ravel Stove is a stunning addition to any open fireplace. Based on the proven under-log burner system of the highly successful Ravel gas fire.

This gas stove version features crisp and clean lines only possible with the light weight aluminium extrusion employed in this design. Suitable for use with Class 1, Class 2 and precast flues.* The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame effect.

Also in available in electric. See electric fires section at the rear of the brochure.

RAVEL 400T Gas Stove

Asti 750 Chamber Suite

HE

CONTROL



Slide

FUEL BED



Log

FUEL



Natural Gas



Propane

WATCH VIDEO



Scan QR Code

FLUE OPTIONS



Brick Chimney




Pre-Fabricated




Pre-Cast*

GAS CONSUMPTION - NATURAL




Heat Input (High)



Heat Input (Low)



Heat Output (High)




Heat Output (Low)


82% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG




Heat Input (High)



Heat Input (Low)




Heat Output (High)



Heat Output (Low)

84% EFFICIENCY


DIMENSIONS



- A) 464mm
- B) 580mm
- C) 133mm
- D) 502mm
- E) 100mm
- F) 289mm
- G) 320mm
- H) 66.5mm
- I) 515mm

*Precast flue kit is ordered separately.

CHAMBER DIMENSIONS



- A) 1020mm
- B) 450mm
- C) 1000mm
- D) 25mm

The Asti Chamber Suite can be ordered as a package with either the 400C or 400T gas stoves.

The mantel dimensions can be found on page 15. The package includes mantel, hearth, chamber and back hearth.

The Ravel 400T gas stove is a beautiful timeless addition to any room. The product features all the benefits of the proven Ravel burner system.

The stove is easy to control with a simple slide lever located below the glass screen. It features a light weight aluminium casting which provides crisp and clean lines, aesthetics are at the heart of this product. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low. And, just like the Ravel 400C, it can be installed into Class 1, Class 2 and precast flues*. The Ravel 400T is also available as a balanced flue model (see pages 52-53).

Also in available in electric. See electric fires section at the rear of the brochure.

RAVEL 400 BF Gas Stoves



Images shown with optional false vertical flue kit installed.



Inset shows Ravel 400C BF

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Balanced Flue

STOVE HANDLE OPTIONS

Satin

Black

Note: Satin handle is supplied as standard on 400C models. Black handle is an optional extra.

GAS CONSUMPTION

4.0kW

Heat Input (High)

2.7kW

Heat Input (Low)

3.0kW

Heat Output (High)

1.9kW

Heat Output (Low)

83% EFFICIENCY

See page 77 for energy efficiency class

Dimensions

400T BF

A) 464mm

B) 580mm

C) 502mm

D) 100mm

E) 290-580mm

F) 289mm

G) Ø151.5mm

H) 483.5mm

I) 320mm

400C BF

A) 464mm

B) 580mm

C) 502mm

D) 100mm

E) 290-580mm

F) 289mm

G) Ø151.5mm

H) 483.5mm

I) 320mm

Note: A vertical false flue kit is also available as an optional extra.

The hugely successful Ravel 400 gas stoves will now be available as Balanced Flue versions. Both the 400C and 400T models can now be installed into a property with no chimney.

The products feature all the benefits of the Ravel gas fire range, with under-log burners and a turndown function which keeps the flame picture alive on low setting. A false vertical flue kit is also available as an option to create the authentic look of a chimney installation. The Asti 750 Chamber Suite is also available to order as a complete package – see page 51 for full details.

54 | GAS FIRES | RAVEL 400C & 400T BF GAS STOVES | F18

RAVEL 400C & 400T BF GAS STOVES | GAS FIRES | 55

BF960SL

Balanced Flue



HE



FLUE OPTION



Balanced
Flue

CONTROL



Slide

FUEL BED




Log

FUEL



Natural
Gas

GAS CONSUMPTION



Heat Input
(High)



Heat Input
(Low)



Heat Output
(High)




Heat Output
(Low)

86% EFFICIENCY


See page 77 for energy efficiency class

Dimensions

TRIM



APPLIANCE



- | | | |
|-----------|----------|------------------|
| A) 1198mm | G) 29mm | M) 270mm - 725mm |
| B) 666mm | H) 183mm | N) 400mm |
| C) 1138mm | I) 151mm | O) 206mm |
| D) 608mm | J) 523mm | |
| E) 174mm | K) 862mm | |
| F) 13mm | L) 332mm | |

The BF960SL balanced flue gas fire is suitable for homes without a chimney.

This versatile and efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.

Thermes

Balanced Flue

HE

“The balanced flue fire that **really** delivers”

Thermes shown with Profile Contemporary Satin/Black trim. Featured with an Elgin & Hall Roesia surround in white Micro Marble

FLUE OPTIONS



Balanced Flue

CONTROLS



Slide



Manual Electronic

FUEL BED




Coal

FUEL



Natural Gas


STANDARD TRIM OPTIONS



Brass Satin Chrome Black


Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

PROFILE TRIM OPTIONS




Brass/Black Profile Satin/Black Profile Chrome/Black Profile Bl.Nickel/Black Profile

CREATIVE TRIM OPTIONS



Brass/Black Satin/Black Chrome/Black Bl.Nickel/Black

SLIDE LEVER OPTION




Ezi-Grip

See page 77 for energy efficiency class


GAS CONSUMPTION

86% EFFICIENCY


SLIDE CONTROL



MANUAL CONTROL



DIMENSIONS



The Thermes is our high efficiency balanced flue gas appliance.

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers. This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options above and in more detail on page 76.

Ellipsis

HE

NOTE: GRANITE SLIPS **NOT** INCLUDED



The Ellipsis 'Hole in the wall' with Chrome/Black trim. Open fronted in pebble (inset)



FLUE OPTIONS



Brick Chimney



Pre-Fabricated



Pre-Cast

CONTROLS



Manual Electronic*



Natural Gas



Coal



Pebble**

ELLIPSIS TRIM OPTIONS



4 Sided Satin/Black



4 Sided Chrome/Black



Satin/Black



Chrome/Black

Also available in 3 sided for hearth mounted version

This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble**. The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:


OPEN FRONTED

(REFER TO MONTESE - PAGE 72)

GLASS FRONTED


(REFER TO CRESSIDA - PAGE 66)

Dimensions



OPEN FRONTED

A) 512mm
B) 403mm
C) 660mm (HIW)
C) 607mm (3 Sided)
D) 553mm
E) 173mm
F) 104mm
G) 358mm



GLASS FRONTED

A) 512mm
B) 403mm
C) 660mm (HIW)
C) 607mm (3 Sided)
D) 553mm
E) 198mm
F) 174mm
G) 358mm



HE 950L

(Asti Suite)

HE

FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



*Pre-Cast

*When ordered as PCF model

CONTROL



Slide

FUEL BED



Log

FUEL



Natural
Gas

GAS CONSUMPTION

75% EFFICIENCY




Heat Input
(High)



Heat Input
(Low)




Heat Output
(High)



Heat Output
(Low)


See page 77 for energy efficiency class

DIMENSIONS



A) 800mm
B) 520mm
C) 620mm
D) 165mm (Standard)
D) 220mm (PCF)
E) 55mm (PCF)
F) 553mm

MANTEL DIMENSIONS



A) 1250mm
B) 1320mm
C) 932mm
D) 400mm
E) 225mm (Standard)
E) 280mm (PCF)
F) 165mm (Standard)
F) 220mm (PCF)
G) 803mm
H) 624mm
I) 60mm
J) 99mm

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.



HE 950L

(Seville Suite)

HE

FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



*Pre-Cast

*When ordered as PCF model

CONTROL



Slide

FUEL BED




Log

FUEL



Natural
Gas

STANDARD MANTEL FINISH OPTIONS



White




Grey


Seville Suite available with or without Grey inner border.

GAS CONSUMPTION

75% EFFICIENCY




Heat Input
(High)



Heat Input
(Low)




Heat Output
(High)



Heat Output
(Low)


See page 77 for energy efficiency class

DIMENSIONS



A) 800mm D) 165mm (Standard) E) 55mm (PCF)
B) 520mm D) 220mm (PCF) F) 553mm
C) 620mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard) G) 803mm
B) 1320mm E) 290mm (PCF) H) 624mm
C) 967mm F) 165mm (Standard)
D) 400mm F) 220mm (PCF)

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.



HE 900

(Avellino Suite)



Shown as standard version. Also available for Precast Flue.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- *Pre-Cast

*When ordered as PCF model

CONTROL

- Slide

FUEL BED

- Log

FUEL


- Natural Gas

STANDARD MANTEL FINISH OPTIONS

- White
- Grey


Available with grey inner border – see similar detail on the Seville Suite – page 62.

GAS CONSUMPTION




See page 77 for energy efficiency class

DIMENSIONS



- A) 659mm
- B) 640mm
- C) 740mm
- D) 165mm (Standard)
- D) 220mm (PCF)
- E) 110mm (Standard)
- E) 55mm (PCF)
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm
- B) 1320mm
- C) 1159mm
- D) 400mm
- E) 235mm (Standard)
- E) 290mm (PCF)
- F) 165mm (Standard)
- F) 220mm (PCF)
- G) 663mm
- H) 744mm

The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.

The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...

The Avellino micro marble suite is available in white or white with grey border.



HE

Cressida HE shown with Creative Contemporary Black Nickel/Black trim. Featured with Elgin & Hall Eliana micro marble surround in white.

FLUE OPTIONS



Brick Chimney



Pre-Fabricated

CONTROLS



Slide



Manual Electronic

FUEL BED




Coal

FUEL




Natural Gas


STANDARD TRIM OPTIONS




Brass



Satin




Chrome




Black

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.


PROFILE TRIM OPTIONS




Brass/Black Profile



Satin/Black Profile




Chrome/Black Profile




Bl.Nickel/Black Profile


CREATIVE TRIM OPTIONS




Brass/Black



Satin/Black



Chrome/Black



Bl.Nickel/Black

SLIDE LEVER OPTIONS




Brass




Chrome



Black Nickel




Black




Ezi-Grip

See page 77 for energy efficiency class

GAS CONSUMPTION




Heat Input (High)



Heat Input (Low)




Heat Output (High)



Heat Output (Low)

87% EFFICIENCY

DIMENSIONS



A) 512mm

B) 403mm

C) 607mm

D) 557mm

E) 198mm

F) 174mm

G) 358mm

The Cressida HE is a high efficiency glass fronted appliance suitable for Class 1 and Class 2 flues.

The most efficient gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.

The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology. Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 76.



Pesaro HE

HE

Pesaro HE shown with Black Contemporary trim. Featured with Elgin & Hall Elento micro marble surround in white & grey.

FLUE OPTIONS



Brick Chimney



Pre-Fabricated



Pre-Cast

CONTROL



Slide

FUEL BED




Coal

FUEL




Natural Gas


STANDARD TRIM OPTIONS




Brass



Satin




Chrome




Black

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.


PROFILE TRIM OPTIONS




Brass/
Black
Profile



Satin/
Black
Profile




Chrome/
Black
Profile




Bl.Nickel/
Black
Profile


CREATIVE TRIM OPTIONS




Brass/
Black



Satin/
Black



Chrome/
Black



Bl.Nickel/
Black

SLIDE LEVER OPTIONS



Brass




Chrome



Black
Nickel




Black




Ezi-Grip

See page 77 for energy efficiency class


GAS CONSUMPTION




Heat Input
(High)



Heat Input
(Low)




Heat Output
(High)



Heat Output
(Low)

84% EFFICIENCY

DIMENSIONS



A) 512mm

B) 352mm

C) 607mm

D) 553mm

E) 128mm

F) 111mm

G) 350mm

The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.

Fuel saving efficiency was at the heart of the Pesaro HE mid depth design delivering an economic gas fire for both pre-cast and standard chimney installation with the convenience of high level slide control operation as standard.

Create the look you require with a choice of trim options shown on page 76.

Available with an optional 25mm spacer kit



XE

Cavello XE shown with Chrome Contemporary Creative trim. Featuring the Be Modern Isabelle Micro Marble surround in manilla.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

CONTROLS

- Slide
- Manual Electronic

FUEL BED

- Coal

FUEL

- Natural Gas

STANDARD TRIM OPTIONS

- Brass
- Satin
- Chrome
- Black

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

PROFILE TRIM OPTIONS

- Brass/Black Profile
- Satin/Black Profile
- Chrome/Black Profile
- Bl.Nickel/Black Profile

CREATIVE TRIM OPTIONS


- Brass/Black
- Satin/Black
- Chrome/Black
- Bl.Nickel/Black

SLIDE LEVER OPTIONS


- Brass
- Chrome
- Black Nickel
- Black
- Ezi-Grip

See page 77 for energy efficiency class

GAS CONSUMPTION



DIMENSIONS



- A) 512mm
- B) 402mm
- C) 607mm
- D) 553mm
- E) 198mm
- F) 130mm
- G) 355mm

The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 9 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on page 76.

Montese

(Cadiz Suite)



XE Available as XE model with canopy see page 9 for further information.

The Montese shown with Cadiz suite in white/Grey. Also shown in all white (inset). Cadiz suite available with or without lights.

FLUE OPTIONS



CONTROLS




FUEL BED



FUEL




STANDARD TRIM OPTIONS




Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.


PROFILE TRIM OPTIONS



CREATIVE TRIM OPTIONS




SLIDE LEVER OPTIONS




STANDARD MANTEL FINISH OPTIONS



DIMENSIONS



A) 512mm
B) 403mm
C) 607mm
D) 553mm
E) 173mm
F) 104mm
G) 328mm



A) 1220mm
B) 1220mm
C) 1095mm
D) 400mm
E) 210mm
F) 45/75mm
G) 413mm
H) 565mm


The Montese is a stunning fire that will enhance any living room.

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.

By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 76 for full trim specifications.

GAS CONSUMPTION



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

See page 77 for energy efficiency class

Ceralis

(Salerno Suite)

XE

Available as XE model with canopy see page 9 for further information.

The Ceralis shown with profile contemporary brass/black trim. The Salerno 42" mantel in all white. Also available as 48". Also available in white/grey.

FLUE OPTIONS



Brick Chimney



Pre-Fabricated



Pre-Cast

CONTROLS



Slide



Manual

FUEL BED



Coal




Pebble

FUEL




Natural Gas

STANDARD TRIM OPTIONS




Brass



Satin




Chrome




Black

Front bars are optional. For more details see page 74.


PROFILE TRIM OPTIONS




Brass/
Black
Profile



Satin/
Black
Profile




Chrome/
Black
Profile




Bl.Nickel/
Black
Profile

CREATIVE TRIM OPTIONS



Brass/
Black



Satin/
Black



Chrome/
Black



Bl.Nickel/
Black

SLIDE LEVER OPTIONS



Brass




Chrome



Black
Nickel



Black



Ezi-Grip

STANDARD MANTEL FINISH OPTIONS




White



Grey

Available with grey inner border. See similar detail on the Cadiz suite - page 48. Grey border option not available on 42"


DIMENSIONS



A) 512mm
B) 352mm
C) 607mm
D) 553mm

E) 123mm
F) 65mm
G) 300mm

GAS CONSUMPTION




Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

See page 77 for energy efficiency class

The Ceralis is a powerful slimline appliance that will fit into all flue types. A spacer is available to enable it to be fitted into shallow precast flues.

The realistic fuel bed boasts a powerful flame picture for its size making the Wildfire Ceralis the obvious option when the flue available limits your choice of fire.

The Ceralis is available in manual and slide control with coal and pebble fuel bed options. The slimline fire is a stunning appliance which makes it the first choice for your precast flue. For full trim options see page 76.

A) 1070mm (42")
B) 1070mm (42")
C) 1050mm (42")
D) 400mm
E) 210mm
F) 45/75mm
G) 413mm
H) 565mm

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit **MOST** of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.


STANDARD TRIM OPTIONS



CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



ELLIPSIS TRIM OPTIONS




Ellipsis trim only suitable for manual control appliances

RAVEL 550 TRIM OPTIONS




RAVEL TRIM OPTIONS




Note: Both available as 4 sided HIW

16" SPACER OPTION



AN ADDITIONAL 25MM SPACER IS AVAILABLE TO SUIT ALL 16" X 22" FIRES.

SLIDE LEVER OPTIONS



Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	PEBBLE OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE-CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE	LPG OPTION	EEI
10-11	RAVEL MW 1500			✓		✓				✓			✓		E
12-13	RAVEL MW 1720			✓		✓				✓			✓		E
14-17	RAVEL 750			✓		✓		✓	✓				✓	✓	D
18-23	RAVEL 800			✓		✓		✓	✓				✓	✓	D
24-25	RAVEL 800 BF			✓		✓				✓			✓		D
26-31	RAVEL 600			✓		✓		✓	✓				✓	✓	D
32-33	RAVEL 600 BF			✓		✓				✓			✓		D
34-37	RAVEL 550			✓		✓		✓	✓				✓		D
38-45	RAVEL 400			✓		✓		✓	✓				✓	✓	D
46-47	RAVEL 400 BF			✓		✓				✓			✓		D
48-51	RAVEL 400C & 400T STOVE			✓		✓	✓	✓	✓				✓	✓	D
52-53	RAVEL 400C/T BF STOVE			✓		✓				✓			✓		D
54-55	BF960SL			✓		✓				✓			✓		C
56-57	THERMES BF	✓			✓	✓				✓			✓		C
58-59	ELLIPSIS HIW	✓	✓*		✓			✓	✓			✓	✓**		
60-63	HE950L (STD & PCF)			✓		✓	✓	✓	✓				✓		E
64-65	HE900 (STD & PCF)			✓		✓	✓	✓	✓				✓		E
66-67	CRESSIDA HE	✓			✓	✓		✓	✓				✓		C
68-69	PESARO HE	✓				✓	✓	✓	✓				✓		D
70-71	CAVELLO XE	✓	✓		✓	✓		✓	✓		✓				F
72-73	MONTESE	✓	✓		✓	✓	✓	✓	✓			✓			F
74-75	CERALIS	✓	✓		✓	✓	✓	✓	✓			✓			F

*Open fronted only **Glass fronted only

Some things you need to know

The Ravel range of electric fires provide up to 2kW of instantaneous heat at the push of a button. Fully operated by remote control, supplied as standard, with the peace of mind of a manual override on the fire should you ever need it.

Boasting a realistic dancing flame picture that can be easily altered to suit your mood, with options to change the speed, colour and brightness... all with the added luxury of a warming underlog glow. Once you have discovered your favourite settings these can be conveniently stored into memory.

Utilising the latest LED technology that delivers a safe, convenient and affordable option, the Ravel range allows you the peace of mind to enjoy the warming flame effect with minimal running costs. Why not add the optional plug in LED lighting strip to add a glow to your chamber or fireplace, creating even more ambience in the heart of your living room.



- Choice of 2 freestanding stove designs
- Choice of 3 inset fire trims
- Full remote control
- Flame speed control
- Glowing logs
- Favourite setting storage
- Crackling logs audio
- 1kW and 2 kW heat settings
- Thermostatically controlled
- Flame dimming control
- Flame colour options
- Optional spacer
- Optional LED plug in ambient lighting



The Wildfire Electric range is guaranteed against manufacturing faults and component failures. The back up is provided by our own team of Wildfire engineers and have a guarantee period of either 1 or 5 years from purchase date.

Ravel electric fires come with a standard 5 year limited warranty which covers full parts and labour for the first two years and a parts warranty for the following 3years, providing you with full peace of mind. See individual product page for the relevant guarantee period.

The distinguishing feature of a flame effect electric fire is the ability to provide a ‘feel warm’ comfort level with its’ mesmerising glow at any time of the year. An energy efficient way to produce a stunning effect with minimal running costs. The instantaneous heat can be called upon on those colder evenings when its just not practical or cost efficient to turn on the central heating.



The multifunction remote control handset provides ultimate controllability for your electric appliance. From ‘Normal’ operating mode where the appliance will run continually until the required temperature is set, to daily or weekly timer settings to give you complete control over the heating function.

A countdown timer is also included so the unit can be automatically powered down after a predetermined length of time.

This beautifully styled remote features an internal thermostat to ensure it senses the right temperature in the room. An LCD display features all of the control functions available including flame setting and flame intensity.





HE 900E

(Avellino Suite)



CONTROL



Remote

FUEL BED



Log

FUEL



Electric

STANDARD MANTEL FINISH OPTIONS




White



Grey

Available with grey inner border – see similar detail on the Seville Suite – page 62.

DIMENSIONS



- | | | |
|-----------|----------|----------|
| A) 1320mm | D) 400mm | G) 740mm |
| B) 1320mm | E) 235mm | |
| C) 1159mm | F) 660mm | |

The HE900E Avellino is a 52” flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.

1 year guarantee (see page 78).



HE 950LE

(Seville Suite)



CONTROL



Remote

FUEL BED



Log

FUEL



Electric

STANDARD MANTEL FINISH OPTIONS




White



Grey

DIMENSIONS



A) 1320mm
B) 1320mm
C) 967mm

D) 400mm
E) 235mm
F) 800mm

G) 621mm

The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

1 year guarantee (see page 78).



RAVEL 400e

(Black Nickel/Chrome)



Featured with Penman collection New Haven surround

CONTROL



Remote

FUEL BED




Log

FUEL




Electric

TRIM OPTIONS



Bl.Nickel/
Chrome



Anthracite

WATCH VIDEO





Scan QR Code

Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.


Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.

Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the next page for the anthracite model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS



- A) 510mm
B) 611mm
C) 231mm
D) 552mm
E) 398mm
F) 197mm



- *Optional Spacer
G) 498mm
H) 600.5mm
I) 45mm

RAVEL 400e

(Anthracite)



Featured with Penman collection New Haven surround

CONTROL



Remote

FUEL BED




Log

FUEL




Electric

TRIM OPTIONS



Bl.Nickel/
Chrome



Anthracite



WATCH VIDEO




Scan QR Code

Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

DIMENSIONS



A) 510mm
B) 611mm
C) 231mm
D) 552mm
E) 398mm
F) 197mm



*Optional Spacer
G) 498mm
H) 600.5mm
I) 45mm

Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.

Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the previous page for the black nickel and chrome model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.



RAVEL 400e

(Inset Stove)



Featured with Penman collection Monza surround

CONTROL



Remote

FUEL BED



Log

FUEL



Electric

Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

WATCH VIDEO





Scan QR Code


Following on the great success of the Ravel 400 inset gas stove the Ravel 400e electric Inset stove is the latest addition to the comprehensive Wildfire appliance family.

This appliance really delivers a traditional stove feel and will provide the elegance to enhance any living room setting. See the previous two pages for the more contemporary fascia available for this fire. The appliance offers latest LED flame picture and innovative glowing log technology and will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS



- A) 510mm
- B) 611mm
- C) 231mm
- D) 552mm
- E) 398mm
- F) 197mm



- *Optional Spacer
- G) 498mm
 - H) 600.5mm
 - I) 45mm




RAVEL 400Ce Gas Stove



Featured with Penman collection Navarra staggered chamber

CONTROL



Remote

FUEL BED



Log

FUEL



Electric


Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

WATCH VIDEO



Scan QR Code

DIMENSIONS



- A) 502mm
- B) 580mm
- C) 320mm

A log burning stove has often been at the heart of most homes, offering a natural warming centre piece for the living space. Wildfires new Ravel 400Ce electric stove has been lovingly developed to emulate that look.

Creating the feel and sound of a real stove but without the mess. Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.



RAVEL 400Te Gas Stove



Featured with Penman collection Rustic standard brick chamber

CONTROL



Remote

FUEL BED



Log

FUEL



Electric


Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

WATCH VIDEO



Scan QR Code

DIMENSIONS



- A) 502mm
- B) 580mm
- C) 320mm

The 400Te Electric Stove is the more traditional version of the popular 400C stove design. The new Ravel 400 series electric stoves have been lovingly developed to emulate the look of a real stove but without any of the mess.

Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.

Marble and Trim options electrical

	AVELLINO HE900E	SEVILLE HE950LE	RAVEL 400e 16" ELECTRIC	RAVEL 400e ELECTRIC INSET STOVE	RAVEL 400Ce & 400Te ELECTRIC STOVE
MARBLE COLOURS	W / WG	W / WG	N/A	N/A	N/A
TRIM OPTION	As pictured	As pictured	An / BN	Stove Trim	N/A
REMOTE CONTROL	Yes	Yes	Yes	Yes	Yes
THERMOSTATIC	Yes	Yes	Yes	Yes	Yes
PROGRAMMABLE TIMER	Yes	Yes	Sleep Timer	Sleep Timer	Sleep Timer
FLAME COLOUR SETTINGS	3	3	3	3	3
FLAME INTENSITY SETTINGS	5	5	5	5	5
MAX HEATER OUTPUT	2kW	2kW	2kW	2kW	2kW
SPACER OPTION	N/A	N/A	See product page	See product page	See product page

KEY

Marble Colours:

W: White

WG: White with Grey Slips


Trim Options:

An: Anthracite

BN: Black Nickel/Black

MARBLE COLOURS





White

Grey

TRIM OPTIONS





Bl. Nickel/Black

Anthracite

PAGE NO.	ELECTRIC FIREPLACE SUITE	HEARTH WIDTH	HEARTH DEPTH	SHELF WIDTH	SHELF DEPTH	OVERALL HEIGHT
80-81	AVELLINO HE900E	1320mm	400mm	1320mm	290mm	1159mm
82-83	SEVILLE HE950LE	1320mm	400mm	1320mm	290mm	967mm



All Enquiries
sales@hearthproducts.co.uk

Telephone
01785 225401

Fax
01785 225501

HEARTH PRODUCTS

Hearth Products Ltd, Unit 14 Brindley Close,
Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk
www.wildfireelectric.co.uk

Scan the QR code with your mobile device to
be directed to the Wildfire website.



All details in this brochure are for illustrative purposes only. We reserve the right to change details due to constant product improvement. Always check specifications with your retailer prior to purchase.

